

PRE-SEASON



SPRING 2026



*Join the Club!*

*Exclusive Savings*

Get great deals on parts, tools, and more.

*Earn Rewards*


Who doesn't like rewards?

*Convenience*

Order online or visit any Sigler's location.



A great way to prepare for your customers needs before the weather changes.





Universal HVAC/R  
Parts and Supplies

# SIGLER CLUB OUTLINE

BEGINS: 3/1/2026  
ENDS: 5/31/2026

QUALIFIED ITEMS INITIAL ORDER VALUE	FREIGHT	BENEFIT	TERMS	SIGLER CLUB LEVEL
\$10,000.00+	Free Initial Order	Earn 4% Rewards on Sigler Club Authorized Parts purchased through 5/31/2026. Plus, Club Pricing through 5/31/2026. <b>Initial Order earns Double Points... 8% Rewards!</b>	Based on Account	PLATINUM
\$9,999.99 - \$5,000.00	Free Initial Order	Earn 3% Rewards on Sigler Club Authorized Parts purchased through 5/31/2026. Plus, Club Pricing through 5/31/2026. <b>Initial Order earns Double Points... 6% Rewards!</b>	Based on Account	GOLD
\$4,999.99 - \$2,000.00	Free Initial Order	Earn 2% Rewards on Sigler Club Authorized Parts purchased through 5/31/2026. Plus, Club Pricing through 5/31/2026. <b>Initial Order earns Double Points... 4% Rewards!</b>	Based on Account	SILVER
\$1,999.99 - \$1,000.00	Free Initial Order	Club Pricing through 5/31/2026. Earn 75 Rewards Points on Initial Order.	Based on Account	BRONZE
\$999.99 - \$500.00	Free Initial Order	Club Pricing through 5/31/2026. Earn 50 Rewards Points on Initial Order.	Based on Account	IRON

*Note: May return up to 10% of initial order by 5/29/2026 with restocking waived.*

## SIGLER CLUB DETAILS

- Sigler Club begins on March 1, 2026 and ends on May 31, 2026.
- Only items listed in this program guide qualify for rewards.
- Club benefits begin on the date of your initial order, and applies to transactions thereafter.
- Accounts must be in good standing, as all orders are subject to credit approval.
- Account can be COD, but can't be on House Cash Account due to reconciliation.
- Warranty purchases do not qualify for Sigler Club benefits.

**NOTE: INITIAL ORDER REGISTRATION DEADLINE IS APRIL 15, 2026.**

# Sigler Club Rewards

## HOW IT WORKS

- Place your initial qualifying Sigler Club order with a Sigler representative
- Club rewards level for duration of program based on your initial order value
- An email with login credentials will be sent to your account authorized admin
- Start earning applicable rewards from initial order date
- Rewards will be loaded the first week of each month for previous month

[www.SiglerClubRewards.com](http://www.SiglerClubRewards.com)



USE THE POINTS YOU EARN TO REDEEM FOR REWARDS SUCH AS:



**Compressor | Misc**

**Drain Plug**



Replacement Components Oil

DE14CA126

**Compressor | Power Plug**

**Compressor Plug**



Totaline Copeland. Molded

10" Length P298-001

**Compressor | Run Capacitor**

**Capacitor**



**MARS Factory Authorized Part/warranty recognized.** Single/Double, 370/440V

Turbo 200 Mini, total 2.5 - 15 mfd	12100
Turbo 200 Mini-Oval, total 2.5 - 15 mfd	12500
Turbo 200, total 2.5 - 67.5 mfd	12200
Turbo 200X, total 5 - 95 mfd	12300

**MARS Made in USA~440/370V dual voltage rated~EIA 456A and Tecumseh H-115 specified~85C temperature rated.** Dual Round Run Capacitor

25+5 mfd	MAR14278
30+5 mfd	MAR14281
35+5 mfd	MAR14283
40+5 mfd	MAR14286
40+7.5 mfd	MAR14287
45+5 mfd	MAR14288
45+7.5 mfd	MAR14289
50+5 mfd	MAR14290
55+5 mfd	MAR14292
55+7.5 mfd	MAR14293
60+5 mfd	MAR14294
60+7.5 mfd	MAR14295
70+10 mfd	MAR14169
70+5 mfd	MAR14255
70+7.5 mfd	MAR14166
80+10 mfd	MAR14117
80+5 mfd	MAR14257
80+7.5 mfd	MAR14216

**MARS Made in USA~440/370V dual voltage rated~EIA 456A and Tecumseh H-115 specified~85C temperature rated.** Dual Run Capacitor

30+7.5 mfd, round	MAR14282
45+10 mfd, round	MAR14172

**MARS Made in USA~440/370V dual voltage rated~EIA 456A and Tecumseh H-115 specified~85C temperature rated.** Single Run Capacitor

10 mfd, oval	MAR14032
12.5 mfd, oval	MAR14033
15 mfd, oval	MAR14034

**Compressor | Run Capacitor**

**Capacitor**



**MARS Made in USA~440/370V dual voltage rated~EIA 456A and Tecumseh H-115 specified~85C temperature rated.** Single Run Capacitor

20 mfd, round	MAR14237
25 mfd, round	MAR14240
35 mfd, round	MAR14243
4 mfd, oval	MAR14028
40 mfd, round	MAR14245
45 mfd, round	MAR14248
5 mfd, oval	MAR14029
50 mfd, round	MAR14251
55 mfd, round	MAR14252
60+10 mfd	MAR14296
7.5 mfd, oval	MAR14031

**Totaline Factory Authorized Part/warranty recognized.** Dual Oval Run Capacitor

10+10 mfd	P2911014
15+4 mfd, 370V only	P2911544
25+5 mfd	P2912554
30+5 mfd	P2913054
35+10 mfd	P2913514
35+5 mfd	P2913554
35+7.5 mfd	P2913574
40+5 mfd	P2914054
40+7.5 mfd, 370V only	P2914073
45+5 mfd	P2914554
45+7.5 mfd	P2914574
45+7.5 mfd, 370V only	P2914573
5+5 mfd	P291-0554
50+5 mfd	P2915054
50+7.5 mfd	P2915074
55+7.5 mfd	P2915574
60+10 mfd	P2916014
7.5+7.5 mfd	P2910774
80+10 mfd	P2918014
80+5 mfd	P2918054

**Totaline Factory Authorized Part/warranty recognized.** Dual Round Run Capacitor

15+5 mfd	P291-1554RS
20+5 mfd	P2912054RS
25+5 mfd	P2912554RS
30+3 mfd	P2913034R
30+5 mfd	P2913054RS
30+7.5 mfd	P2913074R
35+5 mfd	P2913554RS
35+7.5 mfd	P2913574RS
40+10 mfd	P291-4014RS
40+5 mfd	P2914054RS
40+7.5 mfd	P2914074RS
45+10 mfd	P2914514R

**Compressor | Run Capacitor**

**Capacitor**



**Totaline Factory Authorized Part/warranty recognized.** Dual Round Run Capacitor

45+5 mfd	P2914554RS
45+7.5 mfd	P2914574RS
50+5 mfd	P2915054RS
50+7.5 mfd	P2915074R
55+5 mfd	P2915554RS
55+7.5 mfd	P2915574RS
60+5 mfd	P2916054R
60+7.5 mfd	P2916074R
70+10 mfd	P2917014R
70+5 mfd	P2917054R
70+7.5 mfd	P2917074R
75+5 mfd	P2917554R
80+10 mfd	P2918014R
80+5 mfd	P2918054R
80+7.5 mfd	P2918074R

**Totaline Factory Authorized Part/warranty recognized.** Single Oval Run Capacitor

10 mfd	P2911004
12.5 mfd	P2911254
15 mfd	P2911504
20 mfd	P2912004
25 mfd	P2912504
3 mfd	P2910304
30 mfd	P2913004
35 mfd	P2913504
4 mfd	P2910404
40 mfd	P2914004
45 mfd	P2914504
45 mfd, 370V only	P2914503
5 mfd	P2910504
50 mfd	P2915004
55 mfd	P2915504
60 mfd	P2916004
7.5 mfd	P2910754
70 mfd	P2917004
80 mfd	P2918004
80 mfd, 370V only	P2918003

**Totaline Factory Authorized Part/warranty recognized.** Single Round Run Capacitor

15 mfd	P291-1504R
20 mfd	P291-2004R
35 mfd	P2913504R
40 mfd	P2914004R
45 mfd	P2914504RS
55 mfd	P2915504R
60 mfd	P2916004R

**Compressor | Run Capacitor**

**Capacitor**



**Totaline.** Prevents vertical mounted OFM from seizing to motor shaft  
1ea cap [P251-0061](#)

**Compressor | Start Assist**

**Hard Start**



**CPS 5-2-1 Compressor Saver.** 208/240V only, for scroll or reciprocating  
3.5-5T, 189-227mfd [CSRU2](#)

**Rectorseal KickStart**

2 Non-Polarized Wire, 3.5-5T [KS1](#)

**Hard Start Kit**



**CPS 5-2-1 Compressor Saver.** 208/240V only, for scroll or reciprocating  
4-5T, 270-374mfd [CSRU3](#)

**Head Pressure Control**



**Totaline**

120-480 VAC, Controls up to 3  
480V [P251-0083H](#)  
[P251-0095H](#)

**KickStart**



**Shoemaker Hard Start**

1-3T [T0-5](#)

**Surge Protection**



**CPS 5-2-1 Thermally-Protected SPD.** Type 1/2 install, NEMA 4X out/in, LED  
For 120/240V-1P [TPSPD](#)

**ICM Single Phase. A**

[ICM517A](#)

**MARS 1 or 2 SPD**

For 120/240V-1P [83905](#)

**Rectorseal 1 SPD.** Type 1 or 2 install, NEMA 4X out/in, LED

For 120/240V-1P [RSH-50](#)

**Electrical | Contactor**

**Contactors**



**Replacement Components.** Confirm model compatibility

2P 30A 24V	<a href="#">HN52KC024</a>
2P 40A 24V	<a href="#">HN52KD020</a>

**Replacement Components Contactor.** Confirm model compatibility

1P 30A 24V	<a href="#">HN51KC024</a>
------------	---------------------------

**Totaline 30FLA.** 40RA, screw terminal, class B

120VAC coil, 2 pole, 4 conn/pole	<a href="#">P282-0322</a>
208VAC coil, 2 pole	<a href="#">P282-0323</a>
24VAC coil, 1 pole, 4 conn/pole	<a href="#">P282-0311</a>
24VAC coil, 2 pole, 4 conn/pole	<a href="#">P282-0321</a>
24VAC coil, 3 pole, 2 conn/pole	<a href="#">P282-0331A</a>

**Totaline 40FLA.** 50RA, lug terminal, class B

120VAC, 2 pole, 4 conn/pole	<a href="#">P282-0422</a>
120VAC, 3 pole	<a href="#">P282-0432A</a>
208VAC coil, 2 pole	<a href="#">P282-0423</a>
208VAC coil, 3 pole	<a href="#">P282-0433A</a>
24VAC coil, 1 pole, 4 conn/pole	<a href="#">P282-0411</a>
24VAC coil, 2 pole, 4 conn/pole	<a href="#">P282-0421</a>
24VAC, 3 pole, 2 conn/pole	<a href="#">P282-0431A</a>

**Totaline 50FLA.** 65RA, lug terminal, class B

24VAC, 3 pole, 2 conn/pole	<a href="#">P282-0531</a>
----------------------------	---------------------------

**Electrical | Fuse**

**Blade Fuse**



**Replacement Components 287 Series 32VDC.** Fast-acting for low-voltage circuits

1A	<a href="#">ATO1</a>
3A	<a href="#">ATO3</a>
5A	<a href="#">ATO5</a>

**Cover**



**Replacement Components Box Cover Unit.** Overcurrent protection

125V, 15A	<a href="#">LSRU</a>
-----------	----------------------

**Fuse**



**Replacement Components Type S Plug Fuse.** 125VAC, nonmetal base, requires SAO adapter

15A	<a href="#">S0015</a>
20A	<a href="#">S0020</a>
Adapter, for 7-15A fuse	<a href="#">SA015</a>

**Replacement Components Type T Plug Fuse.** 125VAC dual-element, metal Edison base fuse

15A	<a href="#">T0015</a>
-----	-----------------------

**Totaline 600VAC FLSR Series.** UL Listed, class RK5, dual-element

15 amp	<a href="#">FLSR15</a>
--------	------------------------

**Electrical | Fuse**

**Fuse**



**Totaline 600VAC FLSR Series.** UL Listed, class RK5, dual-element

20 amp	<a href="#">FLSR20</a>
25 amp	<a href="#">FLSR25</a>
30 amp	<a href="#">FLSR30</a>
35 amp	<a href="#">FLSR35</a>
40 amp	<a href="#">FLSR40</a>
60 amp	<a href="#">FLSR60</a>

**Electrical | Relay, Sequencer and Timer**

**Relay**



**Totaline 120V**

DPNO/DPNC, 110/120V, 14A	<a href="#">P283-0341</a>
SPST	<a href="#">P283-0294</a>

**Totaline 208/240V**

SPST	<a href="#">P283-0295</a>
SPST	<a href="#">P283-0292</a>

**Totaline 208V**

DPNO/DPNC, 208V	<a href="#">P283-0342</a>
-----------------	---------------------------

**Totaline 24V**

1NO/1NC, 24V, 5A	<a href="#">P283-0380</a>
DPDT, 24V, 12A	<a href="#">P283-0340</a>
SPDT, 24V, 25A	<a href="#">P283-0370</a>
SPNO, 24V, 24A	<a href="#">P283-0360</a>
SPST	<a href="#">P283-0293</a>

**Smart Start Kit**



**Totaline Delay-On-Break**

5min	<a href="#">P284-2387</a>
------	---------------------------

Fan | Condenser Fan Motor

Condenser Fan Motor



<b>MARS Multi-HP. 208/230V-1Ph, Reversible</b>	
1/6 - 1/3hp, 1075rpm	10458
1/8 - 1/3hp, 825rpm, 1sp	10459
1/8 - 1/3hp, shaft down,	10874
<b>MARS Multi-HP. 208/230V-1Ph, SunSlinger 70C, Reversible</b>	
1/8 - 1/3hp, 825rpm, 1sp, 10mfd	20459
<b>MARS Multi-HP. Standard Heat, Reversible</b>	
1/6 - 1/3hp, 825rpm, 2sp	10469
<b>MARS Single HP. 208/230V-1Ph, Standard 60C</b>	
1/2hp, 1075rpm, 10mfd	10730
1/3hp, 1075rpm, 7.5mfd	10729
1/3hp, 825rpm, 7.5mfd	10405
1/3hp, 825rpm, 7.5mfd	10205
1/4hp, 1075rpm, 5mfd	10728
1/4hp, 825rpm, 5mfd	10204
1/4hp, 825rpm, 5mfd	10404
1/6hp, 1075rpm, 5mfd	10727
1/6hp, 825rpm, 5mfd	10403
<b>MARS Single HP. 208/230V-1Ph, SunSlinger 70C, +Nuts</b>	
1/2hp, 1075rpm, 10mfd	20730
1/3hp, 1075rpm, 7.5mfd	20729
1/4hp, 1075rpm, 5mfd	20728
<b>MARS Single HP. 460V, SunSlinger 70C</b>	
1/2hp, 1075rpm, 10mfd	20838
1/4hp, 1075rpm, 7.5mfd	20836
<b>Totaline Ideal truck stock~3 models cover all 825/1075 RPM, 1/6 to 3/4hp needs~Reversible, all position mount, class B insulation~208-230V, 1P, 60hz, ball bearing. 208-230V, 1 Phase, 70C Rated</b>	
1/6-1/3hp, 1075rpm, 7.5mfd	P257-3458HS
<b>Totaline Multi-HP. 208/230V-1Ph, Reversible</b>	
1/5-1/2hp, 1075rpm, 10mfd	P257-E5465
1/6 - 3/4 hp, 825/1075rpm	P257-FLEXPSC61
1/6-1/3hp, 1075rpm, 5mfd	P257-E5462
1/6-1/3hp, 825rpm, 7.5mfd	P257-E5464
<b>Totaline Single HP. 208/230V-1Ph, Reversible</b>	
1/2hp, 1075rpm, 10mfd	P2578730
1/3hp, 1075rpm, 7.5mfd	P2578729
1/4hp, 1075rpm, 5mfd	P2578728
3/4hp, 1075rpm, 15mfd	P2578731
<b>Totaline Universal PSC replacement for vertical shaft application~5.6" TEAO, ball bearings, extended studs, 30" leads~Reversible rotation, Auto reset thermal overload, 48 frame~1 speed, 1/2" x 6" shaft 208-230V, 1 Phase, 60C Rated</b>	
1/3hp, 825rpm, 7.5mfd	P2573205

Fan | Condenser Fan Motor

Condenser Fan Motor



<b>Totaline Universal PSC replacement for vertical shaft application~5.6" TEAO, ball bearings, extended studs, 30" leads~Reversible rotation, Auto reset thermal overload, 48 frame~1 speed, 1/2" x 6" shaft. 208-230V, 1 Phase, 70C Rated</b>	
1/4hp, 1075rpm, 5mfd	P257-3732HS
<b>Totaline Universal PSC replacement for vertical shaft application~5.6" TEAO, ball bearings, extended studs, 30" leads~Reversible rotation, Auto reset thermal overload, 48 frame~1 speed, 1/2" x 6" shaft. 460V, 70C Rated</b>	
1/2hp, 1075rpm, 10mfd	P257-3738HS
<b>Rain Shield</b>	
	
<b>Totaline for condenser motor. Protect motor shaft, bearing, windings from rain/snow</b>	
1/2" bore, aluminum	P2510051

Refrigerant Piping | Filter Drier

Filter Drier



**Replacement Components Beaded Core.** Confirm model compatibility

3/8" ODF, 16cu, for AC	<a href="#">KH43LG074</a>
3/8" ODF, 16cu, for HP	<a href="#">KH43LG072</a>
3/8" ODF, 30cu, for AC	<a href="#">KH43LG075</a>

**Totaline Beaded Core.** Beaded core, 20 micron filtration

1/2 inlet x 1/2 outlet, 16cu"	<a href="#">P502-8164S</a>
1/2 inlet x 1/2 outlet, 8cu"	<a href="#">P502-8084</a>
3/8 inlet x 3/8 outlet, 16cu"	<a href="#">P502-8163S</a>
3/8 inlet x 3/8 outlet, 8cu"	<a href="#">P502-8083S</a>
5/8 inlet x 5/8 outlet, 16cu"	<a href="#">P502-8165S</a>
5/8 inlet x 5/8 outlet, 30cu"	<a href="#">P502-8305S</a>
7/8 inlet x 7/8 outlet, 41cu"	<a href="#">P502-8417S</a>
7/8 inlet x 7/8 outlet, 75cu"	<a href="#">P502-8757S</a>

**Totaline Beaded Core.** Beaded core, 40 micron filtration

7/8 inlet x 7/8 outlet, 45cu"	<a href="#">P503-8457S</a>
-------------------------------	----------------------------

**Totaline Bi-Flow Press.** For HP, 75% molecular sieve, 25% alumina

3/8 inlet x 3/8 outlet, 16cu"	<a href="#">P504-H163P</a>
3/8 inlet x 3/8 outlet, 8cu"	<a href="#">P504-H083P</a>

**Totaline Bi-Flow.** For HP, 75% molecular sieve, 25% alumina

1/2 inlet x 1/2 outlet, 16cu"	<a href="#">P504-H164S</a>
3/8 inlet x 3/8 outlet, 16cu"	<a href="#">P504-H163S</a>
3/8 inlet x 3/8 outlet, 8cu"	<a href="#">P504-H083S</a>

**Totaline Solid Core.** Replacement core for take-apart filter drier shells

High moisture capacity, 48cu"	<a href="#">P506-8H48</a>
Standard moisture capacity, 48cu"	<a href="#">P506-8D48</a>

**Totaline Solid Core.** Solid core, 40 micron filtration

1/2 inlet x 1/2 outlet, 16cu"	<a href="#">P502-C164P</a>
1/2 inlet x 1/2 outlet, 16cu"	<a href="#">P502-C164S</a>
3/8 inlet x 3/8 outlet, 16cu"	<a href="#">P502-C163P</a>
3/8 inlet x 3/8 outlet, 16cu"	<a href="#">P502-C163S</a>
3/8 inlet x 3/8 outlet, 5cu"	<a href="#">P502-C053S</a>
3/8 inlet x 3/8 outlet, 8cu"	<a href="#">P502-C083S</a>
3/8 inlet x 3/8 outlet, 8cu"	<a href="#">P502-C083P</a>
5/8 inlet x 5/8 outlet, 30cu"	<a href="#">P502-C305S</a>
7/8 inlet x 7/8 outlet, 16cu"	<a href="#">P503-C167S</a>

**Electrical Supply | Conduit**

**Conduit**



<b>DiversiTech 1/2"</b>	
100ft roll, non-metallic	750-12100
90 degree connector, non-metallic	750-NMLT9050
Straight connector, non-metallic	750-NMLT50
<b>DiversiTech 3/4"</b>	
100ft roll, non-metallic	750-34100
90 degree connector, non-metallic	750-NMLT9075
Straight connector, non-metallic	750-NMLT75
<b>MARS 1/2"</b>	
100ft roll, non-metallic	84118
<b>MARS 3/4"</b>	
100ft roll, non-metallic	84119

**Connector**



<b>MARS Non-Metallic</b>	
1/2" 90	85020
1/2" Str	85016
3/4" 90	85021
3/4" Str	85017

**Whip**



<b>MARS Non-Metallic Whip.</b> Non-metallic conduit and ftgs, 3 conductor	
6ft x 1/2", #10 THHN	84135
6ft x 3/4", #8 THHN, #10 ground	84137

**Electrical Supply | Disconnect**

**Disconnect**



<b>DiversiTech 240V 1P.</b> Reversible side door, pullout	
30A fused	DDS-30
60A fused	DDS-60
60A non-fused	DDS-60U
<b>MARS 240V 1P</b>	
30A fused, top open	83316
60A fused, top open	83317
<b>MARS 240V 1P. A</b>	
60A non-fused, top open	83315
<b>MARS 240V 3P</b>	
30A fused	83636
60A fused	83637

**Electrical Supply | Fuse**

**Time-Delay Fuse**



<b>DiversiTech 250VAC FLNR Series.</b> UL Listed, class RK5, dual-element	
15 amp	FLNR15
20 amp	FLNR20
25 amp	FLNR25
30 amp	FLNR30
35 amp	FLNR35
40 amp	FLNR40
45 amp	FLNR45
50 amp	FLNR50
60 amp	FLNR60

**Electrical Supply | Wire**

**Thermostat and Control Wire**



<b>Southwire Solid-Unshielded Wire.</b> 150VAC	
18AWG-5C, 250', CL2	SW1805
18AWG-6C, 250', CL2	SW1806
18AWG-8C, 250', CL2	SW1808

**Refrigerant Line | Cu Fitting**

**Copper Fittings**



<b>Nibco Copper Fitting A (1/4" OD)</b>	
Coupling (Cx C)	W01003
<b>Nibco Copper Fitting B (3/8" OD)</b>	
45 elbow (Cx C)	W03012
90 long elbow (Cx C)	W02716
90 long street elbow (FTGxC)	W02809
90 short elbow (Cx C)	W02009
90 short street elbow (FTGxC)	W02312
Coupling (Cx C)	W01009
<b>Nibco Copper Fitting C (1/2" OD)</b>	
90 long elbow (Cx C)	W02717
90 long street elbow (FTGxC)	W02817
90 short elbow (Cx C)	W02017
Coupling (Cx C)	W01017
Reducer (1/2 C x 3/8 C)	W01019
<b>Nibco Copper Fitting D (5/8" OD)</b>	
90 long elbow (Cx C)	W02722
90 long street elbow (FTGxC)	W02822
Coupling (Cx C)	WB01022
Reducer (5/8 C x 1/2 C)	W01023
Reducer (5/8 FTG x 1/2 C)	W01315
<b>Nibco Copper Fitting E (3/4" OD)</b>	
45 elbow (Cx C)	W03030
45 street elbow (FTGxC)	W03330
90 long elbow (Cx C)	W02728
90 long street elbow (FTGxC)	W02828
90 short elbow (Cx C)	W02028
90 short street elbow (FTGxC)	W02330
Coupling (Cx C)	W01028
Reducer (3/4 C x 5/8 C)	W01029
<b>Nibco Copper Fitting F (7/8" OD)</b>	
45 elbow (Cx C)	W03034
90 long elbow (Cx C)	W02734
90 long street elbow (FTGxC)	W02834
90 short elbow (Cx C)	W02034
90 short street elbow (FTGxC)	W02334
Coupling (Cx C)	W01034
Reducer (7/8 C x 3/4 C)	W01035
<b>Nibco Copper Fitting G (1-1/8" OD)</b>	
45 elbow (Cx C)	W03044
90 long street elbow (FTGxC)	W02847
Reducer (1-1/8 C x 7/8 C)	W01049
<b>Nibco Copper P-Trap (7/8" OD)</b>	
P-Trap	W061000

**Refrigerant Line | Cu Fitting**

**Press Fittings**



**Parker ZoomLock MAX Parker ZoomLock fittings are packaged in sealed bags. This is crucial for maintaining cleanliness and preventing contamination during storage and handling. The fittings are designed to be debris-free upon installation, so keeping the bag sealed is a key part of that process. Each bag is sold as the qty ea of fittings in the bag. Elbow 90 Degree**

1/2", sold in qty's of 5 ea	870603
1/2", sold in qty's of 3 ea	871613
1/2", sold in qty's of 5 ea	870503
1/2", buy in 3ea bags	871403
1/2", sold in qty's of 2 ea	871003
1/2" to 1/4", sold in qty's of 2 ea	870808
1/2" to 3/8", sold in qty's of 2 ea	870801
1/4", sold in qty's of 5 ea	870508
1/4", sold in qty's of 5 ea	870600
1/4", buy in 3ea bags	871401
1/4", sold in qty's of 4 ea	871000
1-1/8", sold in qty's of 2 ea	870507
1-1/8", buy in 2ea bags	871407
1-1/8", sold in qty's of 3 ea	870607
1-1/8", sold in qty of 1	871612
1-1/8" x 7/8", sold in qty of 1 ea	870807
3/4", sold in qty's of 2 ea	871005
3/4", sold in qty's of 2 ea	870505
3/4", sold in qty's of 3 ea	870605
3/4", sold in qty's of 2 ea	871610
3/4", buy in 3ea bags	871405
3/4" to 1/2", sold in qty's of 2 ea	870811
3/4" to 5/8", sold in qty's of 2 ea	870803
3/8", sold in qty's of 5 ea	870602
3/8", sold in qty's of 4 ea	871002
3/8", sold in qty's of 5 ea	870509
3/8", buy in 3ea bags	871402
3/8" to 1/4", sold in qty's of 2 ea	870800
5/8", sold in qty's of 3 ea	870604
5/8", sold in qty's of 5 ea	870510
5/8", sold in qty's of 2 ea	871004
5/8", buy in 3ea bags	871404
5/8", sold in qty's of 3 ea	871614
5/8" to 1/2", sold in qty's of 2 ea	870802
5/8" to 1/4", sold in qty's of 2 ea	870809
5/8" to 3/8", sold in qty's of 2 ea	870810
7/8", buy in 3ea bags	871406
7/8", sold in qty's of 2 ea	870506
7/8", sold in qty's of 3 ea	870606
7/8", sold in qty's of 2 ea	871611
7/8" to 5/8", sold in qty's of 2 ea	870804
7/8" x 3/4", sold in qty's of 2 ea	870805

Refrigerant Line | Cu Fitting

Press Tool



**Parker ZoomLock MAX Jaw Set** for MZK-24KN

1/4" to 1-1/8" | 7 Piece Set [871409](#)

**Parker ZoomLock MAX Jaw Set** for MZK-32KN

1/4" to 1-3/8" | 7 Piece Set [871408](#)

**Parker ZoomLock MAX Jaw Starter Set** for MZK-24KN

3/8",3/4",7/8" | 3 Piece Set [871450](#)

Valve Core



Replacement Components

1/4" [EC39EZ067](#)

**Metering | TXV**

**TXV**



**Replacement Components R22/R407C TR6.** Compact, lightweight, steel/copper connects

1.5-2 ton	<a href="#">067L5856</a>
2.5-3 ton	<a href="#">067L5857</a>
3.5-4 ton	<a href="#">067L5858</a>
5-6 ton	<a href="#">067L5859</a>

**Replacement Components R410A TR6.** Compact, lightweight, steel/copper connects

1-3 ton	<a href="#">067L5955</a>
3.5-4 ton	<a href="#">067L5956</a>
5 ton	<a href="#">067L5957</a>

**Totaline R22**

1.5-2 ton	<a href="#">P530-2152</a>
2.5 ton - 4 ton	<a href="#">P540-2254</a>
4.5 ton - 6 ton	<a href="#">P540-2456</a>

**Totaline R410**

1.5-2 ton	<a href="#">P540-2152</a>
-----------	---------------------------

**Totaline R410A, R454B, R32**

1.5-2 ton	<a href="#">P540-4152</a>
2.5-3 ton	<a href="#">P540-4254</a>
4.5-7 ton	<a href="#">P540-4456</a>

**Condensate | Pump**

**Condensate Pump**



<b>DiversiTech CP Low-Profile Pump.</b> 132gph, 4 inlet, 1/3gal, 3/8" tube 120V, 22ft lift	<a href="#">CP-22LP</a>
<b>DiversiTech ULTRA Condensate Pump.</b> 132gph, 4 inlet, 1/2gal, 3/8" tube 115V, 22ft lift, w/20ft tube 230V, 22ft lift, w/20ft tube	<a href="#">ULTRACP-22T</a> <a href="#">ULTRACP-22T-230</a>

**Drain | Condensate**

**Drain Pan**



<b>Diversitech Plastic Drain Pan.</b> Black, holds 2" water, incl. 3/4" fitting , 2.5" height	<a href="#">6-3060L</a>
--	-------------------------

**Float Switch**



<b>Rectorseal Safe-T-Switch</b>	
SS1, for primary drain	<a href="#">SS1</a>
SS2, for primary drain	<a href="#">SS2</a>
SS3, for primary drain	<a href="#">SS3</a>

**Trap**



<b>Rectorseal EZ Trap</b>	
3/4" CRS trap kit w/brush	<a href="#">EZT-113B</a>

**Drain | PVC**

**Pipe**



<b>Ewing 3" PVC.</b> Schedule 40	
3"x20'	<a href="#">PVC3X20</a>

**PVC B (3/4")**

<b>DiversiTech 3/4" PVC Fitting.</b> Schedule 40	
45 elbow (SPIG x S)	<a href="#">PVC3/445</a>
90 elbow (S x FIPT)	<a href="#">PVC3/490FA</a>
90 elbow (S x S)	<a href="#">PVC3/490</a>
90 street elbow (SPIG x H)	<a href="#">PVC3/490MPT</a>
90 street elbow (SPIG x S)	<a href="#">PVC3/490ST</a>
Adapter (S x FIPT)	<a href="#">PVC3/4FA</a>
Cap (S)	<a href="#">PVC3/4CAP</a>
Coupling (S x S)	<a href="#">PVC3/4COUP</a>
Male adapter (MIPT x S)	<a href="#">PVC3/4MA</a>
P Trap (S x S)	<a href="#">5-408</a>
R Trap (S x S)	<a href="#">5-409</a>
Tee (S x S x S)	<a href="#">PVC3/4TEE</a>

**Drain | PVC**

**PVC D (2")**



<b>Diversitech 2" PVC Fitting.</b> Schedule 40	
45 elbow (H x H)	<a href="#">5-321020</a>
90 long elbow (H x H)	<a href="#">510-D304020</a>
DWV Coupling (H x H)	<a href="#">5-100020</a>

**PVC E (3")**



<b>Diversitech 3" PVC Fitting.</b> Schedule 40	
2" reducer (H x H)	<a href="#">510-D102338</a>
90 elbow (H x H)	<a href="#">5-300030</a>
Coupling (H x H)	<a href="#">5-100030</a>

**AHU | Mounting**

**Grommet**



<b>Totaline for Blower Motors</b>	
	<a href="#">P251-0079</a>

<b>Totaline Spacer</b>	
	<a href="#">P041-5102</a>

**Strap**



<b>Southwark Hanger Style</b>	
11x2x100 Holes	<a href="#">HSWH26G01W100</a>

**Supply | Filtration**

**Air Purifier Media**



<b>Aprilaire Filter 16H x 25W x 4D.</b> Replacement MERV 13	
Merv 13	HP413
<b>Aprilaire Filter 16H x 25W x 6D.</b> Replacement MERV 10	
Merv 10	HP401
<b>Aprilaire Filter 20H x 25W x 4D.</b> Replacement MERV 13	
Merv 13	HP213
<b>Aprilaire Filter 20H x 25W x 6D</b>	
Merv 10	HP201

**Cartridge Filter**



<b>Replacement Components</b>	
16x25	GAPCCCAR1625-A0
20x25	GAPCCCAR2020-A0
24x20	GAPCCCAR2420-A0

**Filter**



<b>Replacement Components</b>	
20x20	PGAPXCAR2020-A01
20x25	PGAPXCAR2025-A01
24x20	PGAPXCAR2420-A01

<b>Totaline</b>	
23x20	FILXUMC082320-A0

**Totaline MERV 10 efficiency ~ EZ-FLEX.** Fits EZXCAB air cleaners

Includes End Caps	EXPXXUNV0024
Includes End Caps	EXPXXUNV0016
Includes End Caps	EXPXXUNV0020
No End Caps	EXPXXFIL0016
No End Caps	EXPXXFIL0024
No End Caps	EXPXXFIL0020

**Totaline MERV 13 efficiency ~ EZ-FLEX.** Fits EZXCAB air cleaners

Includes End Caps	EXPXXUNV0316
Includes End Caps	EXPXXUNV0320
Includes End Caps	EXPXXUNV0324
No End Caps	EXPXXFIL0316
No End Caps	EXPXXFIL0324
No End Caps	EXPXXFIL0320

**Totaline Replacement Cartridge**

16x25x4	FILXUMC081625-A0
20x20x4	FILXUMC082020-A0
20x25x4	FILXUMC082025-A0
24x25x4	FILXUMC112425-A0
24x25x4	FILXUMC082425-A0

**Supply | Filtration**

**Hepa Air Cleaner**



<b>Replacement Components Portable Hepa UV Air Cleaner.</b> 5-in-1, 220-240V	
250CFM	FSP900

**MERV 8 Pleated Filter**



**Koch MERV 8 efficiency~ 100% non-woven synthetic media~Moisture-resistant clay coated frame.** MERV 8 1" Pleated Filter

10x20x1	PL10X20X1
10x24x1	PL10X24X1
10x30x1	PL10X30X1
12x12x1	PL12X12X1
12x24x1	PL12X24X1
14x14x1	PL14X14X1
14x24x1	PL14X24X1
14x25x1	PL14X25X1
14x30x1	PL14X30X1
16x25x1	PL16X25X1
18x18x1	PL18X18X1
18x24x1	PL18X24X1
20x20x1	PL20X20X1
20x25x1	PL20X25X1
20x30x1	PL20X30X1
24x24x1	PL24X24X1
25x25x1	PL25X25X1

**Koch MERV 8 efficiency~ 100% non-woven synthetic media~Moisture-resistant clay coated frame.** MERV 8 2" Pleated Filter

14x25x2	PL14X25X2
16x16x2	PL16X16X2
16x20x2	PL16X20X2
16x25x2	PL16X25X2
20x20x2	PL20X20X2
20x25x2	PL20X25X2
20x30x2	PL20X30X2
24x24x2	PL24X24X2

**Koch MERV 8 efficiency~ 100% non-woven synthetic media~Moisture-resistant clay coated frame.** MERV 8 4" Pleated Filter

20x25x4	PL20X25X4
---------	-----------

**Pad**



<b>Totaline Humidifier</b>	
	P110-3545
	P110-1045

**Belt Drive | Bearing**

**Bearing**



**Totaline Ball Cartridge.** Molded rubber outer, self lock collar, 1" wide

1.8" OD, 1" bore	<a href="#">P4612302</a>
2.5" OD, 1" bore	<a href="#">P4612102</a>
2.5" OD, 1-3/16" bore	<a href="#">P4612901</a>
2.5" OD, 3/4" bore	<a href="#">P4612304</a>
2.5" OD, 5/8" bore	<a href="#">P4612502</a>

**Belt Drive | Pulley**

**Pulley**



**Totaline Variable Pitch.** Quality cast iron, corrosion resist

3.00" OD, 1/2" bore, 1.9-2.9" pitch	<a href="#">P461-3201</a>
3.00" OD, 5/8" bore, 1.9-2.9" pitch	<a href="#">P4613503</a>
4.00" OD, 1/2" bore, 2.4-3.4" pitch	<a href="#">P461-3202</a>
4.00" OD, 5/8" bore, 2.4-3.4" pitch	<a href="#">P461-3505</a>
4.00" OD, 7/8" bore, 2.4-3.4" pitch	<a href="#">P461-3710</a>
4.25" OD, 5/8" bore, 2.8-3.8" pitch	<a href="#">P461-3507</a>
4.25" OD, 7/8" bore, 2.8-3.8" pitch	<a href="#">P461-3708</a>
5.00" OD, 7/8" bore, 3.4-4.4" pitch	<a href="#">P461-3706</a>
5.50" OD, 7/8" bore, 4.0-5.0" pitch	<a href="#">P461-3709</a>

**Belt Drive | V-Belt**

**Belt**



**Replacement Components AX Section Gripnotch Notched.** EPDM, 98% efficient

38.2" outer, 37.3" pitch, 1/2" wide	<a href="#">AX36</a>
-------------------------------------	----------------------

**Totaline A Section Super Gripbelt.** Neoprene/synthetic fiber, 95% efficient

28" outer, 27.3" pitch, 1/2" wide	<a href="#">A26</a>
35.2" outer, 34.3" pitch, 1/2" wide	<a href="#">A33</a>
37.2" outer, 36.3" pitch, 1/2" wide	<a href="#">A35-C</a>
38.2" outer, 37.3" pitch, 1/2" wide	<a href="#">A36</a>
40.2" outer, 39.3" pitch, 1/2" wide	<a href="#">A38</a>
41.2" outer, 40.3" pitch, 1/2" wide	<a href="#">A39</a>
42.2" outer, 41.3" pitch, 1/2" wide	<a href="#">A40</a>
43.2" outer, 42.3" pitch, 1/2" wide	<a href="#">A41</a>
45.2" outer, 44.3" pitch, 1/2" wide	<a href="#">A43</a>
50.2" outer, 49.3" pitch, 1/2" wide	<a href="#">A48</a>
51.2" outer, 50.3" pitch, 1/2" wide	<a href="#">A49-C</a>
52.2" outer, 51.3" pitch, 1/2" wide	<a href="#">A50</a>
53.2" outer, 52.3" pitch, 1/2" wide	<a href="#">A51</a>
54.2" outer, 53.3" pitch, 1/2" wide	<a href="#">A52</a>
55.2" outer, 54.3" pitch, 1/2" wide	<a href="#">A53</a>

**Totaline AX Section Gripnotch Notched.** EPDM, 98% efficient

40.2" outer, 39.3" pitch, 1/2" wide	<a href="#">AX38</a>
41.2" outer, 40.3" pitch, 1/2" wide	<a href="#">AX39</a>
45.2" outer, 44.3" pitch, 1/2" wide	<a href="#">AX43</a>
50.2" outer, 49.3" pitch, 1/2" wide	<a href="#">AX48</a>

**Belt Drive | V-Belt**

**Belt**



**Totaline AX Section Gripnotch Notched.** EPDM, 98% efficient

51.2" outer, 50.3" pitch, 1/2" wide	<a href="#">AX49</a>
54.2" outer, 53.3" pitch, 1/2" wide	<a href="#">AX52</a>

**Totaline B Section Super Gripbelt.** Neoprene/synthetic fiber, 95% efficient

51.0" outer, 49.8" pitch, 21/32" wide	<a href="#">B48</a>
---------------------------------------	---------------------

**Totaline V Belt**

31" outer	<a href="#">P463-A29</a>
33" outer	<a href="#">P463-A31</a>
34" outer	<a href="#">P463-A32</a>
43" outer	<a href="#">P463-B40</a>
45" outer	<a href="#">P463-B42</a>
47" outer	<a href="#">P463-A45</a>
66" outer	<a href="#">P463-A64</a>
70" outer	<a href="#">P463-B68</a>

**Totaline V Belt.** Cogged

58" outer	<a href="#">P463-AX56</a>
64" outer	<a href="#">P463-AX62</a>

**Blower Motor | Blower Motor**

**Blower Motor**



**MARS High-efficiency variable speed ECM~Auto-sizing learn module self-programs speed taps~Outboard replacable surge protector in harness~Multi-HP, 115-230V, 4spd, rev, 625rpm constant fan~Bluetooth models can use Azure ECM app.** Replaces PSC

1/3 - 1/2hp	10865
3/4 - 1hp	10866

**MARS High-efficiency variable speed ECM~Auto-sizing learn module self-programs speed taps~Outboard replacable surge protector in harness~Multi-HP, 115-230V, 4spd, rev, 625rpm constant fan~Bluetooth models can use Azure ECM app.** Replaces Variable Speed

1/2 - 1hp, Bluetooth	10857
1/4 - 1/2hp, Bluetooth	10856

**MARS High-efficiency variable speed ECM~Auto-sizing learn module self-programs speed taps~Outboard replacable surge protector in harness~Multi-HP, 115-230V, 4spd, rev, 625rpm constant fan~Bluetooth models can use Azure ECM app.** Replaces X13, Ensite, Endura

1/5 - 1/2hp, Bluetooth	10858
------------------------	-------

**MARS Multi-HP.** 115V,1Ph, Reversible

1/5 - 3/4hp, ball bearing	10466
1/6 - 1/2hp, 1075/4rpm, PSC	10463

**MARS Multi-HP.** 208/230V-1Ph, Reversible

1/6 - 1/2hp, 1075/4rpm, PSC	10464
-----------------------------	-------

**MARS Single HP.** 115V,1Ph, Reversible

1/2hp, 10mfd, 1075/3rpm, PSC	10587
1/3hp, 5mfd, 1075/3rpm, PSC	10585
1/4hp, 5mfd, 1075/3rpm, PSC	10583
1hp, 20mfd, 1075/3rpm, PSC	10591
3/4hp, 15mfd, 1075/3rpm, PSC	10589

**MARS Single HP.** 208/230V-1Ph, Reversible

1/2 hp, 10mfd, 1075/3rpm, PSC	10578
1/2hp, 7.5mfd, 1075/3rpm, PSC	10588
1/3 hp, 7.5mfd, 1075/3rpm, PSC	10576
1/3hp, 5mfd, 1075/3rpm, PSC	10586
1/4hp, 5mfd, 1075/3rpm, PSC	10584
1hp, 15mfd, 1075/3rpm, PSC	10592
3/4hp, 10mfd, 1075/3rpm, PSC	10590

**Regal Genteq Evergreen Variable speed ECM**

115/230 1075RPM 1/5-1/5 HP	GE-6005
----------------------------	---------

**Totaline High-efficiency variable speed ECM replacement~Pre-programmed 5 discrete speeds using 24VAC~Auto dual rotation, 48 Frame, no run cap needed~1050rpm, 5 speed, 60Hz, 40C, OAO, ball brg.** Replaces PSC, 115-230V

1/2 to 1/4 hp, 5spd 1075 down to 600	P257-FLEXPSC50
--------------------------------------	----------------

**Totaline Multi-HP.** 115V, 1Ph, Reversible

1/5 - 3/4hp	P257-E5470
1/6 - 1/2hp	P257-E5460

**Totaline Multi-HP.** 208/230V-1Ph, Reversible

1/5 - 3/4hp, 1075/3rpm	P257-E5471
------------------------	------------

**Blower Motor | Blower Motor**

**Blower Motor**



**Totaline Multi-HP.** 208/230V-1Ph, Reversible

1/6 - 1/2hp, 1075/3rpm	P257-E5461
------------------------	------------

**Totaline Multi-HP.** Replaces X13/FCT, 208-230V

1/2HP, 115/208-230	P257-FLEX1376D
1HP, 115/208-230	P257-FLEX1378D
3/4HP, 115/208-230	P257-FLEX1377D

**Totaline PSC to ECM.** Replaces PSC, 115-230V

1 to 3/4 hp, 5spd 1075 down to 600	P257-FLEXPSC51
------------------------------------	----------------

**Totaline Replaces 16-Pin 2.0, 2.3 and EON Variable Speed Blower Motors, Using 24v or PWM.** 48 Frame Mount

1/2-1/3HP, 115/208-230V	P257-FLEX1662
3/4HP, 115/208-230V	P257-FLEX1661

**Totaline Single HP.** 115V, 1Ph, Reversible

1/2hp, 10mfd	P2578587
1/3hp, 10mfd	P2578585
1/4hp, 10mfd	P2578583
3/4hp, 15mfd	P2578589

**Totaline Single HP.** 208/230V-1Ph, Reversible

1/2hp, 10mfd	P2578588
1/3hp, 10mfd	P2578586
1/4hp, 10mfd	P2578584
3/4hp, 15mfd	P2578590

**Blower Motor | Board**

**Fan & Limit**



**Honeywell Controller**

5"	L4064B2228
8"	L4064B2236

**Fan Timer**



**Honeywell Universal**

ST9120U1011
-------------

**Blower Motor | Misc**

**Motor Mount**



**MARS 4 Wing Flex Bracket for Blower Motors.** 5-5/8 & 5-1/2

08047
-------

**Totaline for blower motor**

4-Leg, 5.6 in Torsion	P251-0039
5.5" diameter	P2510073

**Blower Motor | Misc**

**Mounting Arm**



**Totaline for blower motor**

16-1/4" band	<a href="#">P251-0078</a>
Arm	<a href="#">P251-0077</a>

**Burner | Ignitor/Pilot**

**Igniter**

<b>Honeywell Flame Rod, Assembly</b>	
30"	<a href="#">Q3400A1024</a>
<b>Honeywell Hot Surface, Multisystem</b>	
120v	<a href="#">Q3200U1004</a>
<b>Honeywell Hot Surface, Silicone Carbide</b>	
120v, 525" Lead Length	<a href="#">Q4100C9068</a>
19-1/8" Lead	<a href="#">Q4100C9046</a>
5" Lead	<a href="#">Q4100C9052</a>
5.25" Lead	<a href="#">Q4100C9060</a>
5.25" Lead	<a href="#">Q4100C9056</a>
5.25" Lead	<a href="#">Q4100C9054</a>
5.5" Lead	<a href="#">Q4100C9042</a>

**Robertshaw 712 Intermittent Pilot.** Solid-state, flame sense, auto sequence  
Nonlockout, 200K btuh, not for LP [712-017](#)

**Robertshaw 780 Hot Surface Ignitor.** Uni-kit  
Hot surface ignitor [780-910](#)

**Robertshaw 780 Intermittent Pilot.** Solid state, flame sense, auto sequence  
Nonlockout, 24V, 3-4s spark [780-715](#)

**Ignition Control**

<b>Honeywell Universal, Hot Surface</b>	
-40F to +175F, 24V, 2A	<a href="#">S8910U3000</a>
<b>Honeywell Universal, Hot Surface, Integrated</b>	
-40F to +175F, 24V, 2A	<a href="#">S9200U1000</a>

**Replacement Components.** Confirm model compatibility  
Ignition control board [LH33WZ512](#)

**Replacement Components Gas Furnace Board.** Confirm model compatibility  
Ignition control, 58DR/DX/GS/SX [LH33WZ513](#)

**Replacement Components SPP Board.** Confirm model compatibility  
Ignition control board [LH33WP001](#)  
Ignition control board [LH33WP002](#)  
Ignition control board [LH33WP003](#)  
Ignition control board [LH33WP007](#)

**Ignitor**

<b>Replacement Components.</b> Confirm model compatibility	
58M	<a href="#">LH33ZS004</a>
80% AFUE, 58ST/DL/CT/CV	<a href="#">331930-751</a>
80%-96% AFUE, various models	<a href="#">LH33ZG001</a>

**Robertshaw 780 Pilot Control.** 24VAC, 3-4s spark, 175F  
Nonlockout [780-001](#)

**Pilot**

<b>Honeywell Universal, Intermittent</b>	
-40F to +165F, 24V, 1Ap, 2Am	<a href="#">S8610U3009</a>

**Burner | Ignitor/Pilot**

**Pilot**

**Robertshaw 1820 Series.** Replace IIT-General PG9 type pilots  
90 left hand [1820-019](#)  
90 right hand [1820-009](#)

**Thermopile**

**Honeywell 750mV**  
35" [Q313A1170](#)

**Burner | Sensor/Switch**

**Flame Sensor**

**Replacement Components Flame Sensor.** Confirm model compatibility  
58S(B,C)/SP/TP, 59SP/TP/MN [LH680534](#)

**Gas Valve**

**Totaline**  
[P671-2368](#)

**Igniter**

**Replacement Components Electrode.** Confirm model compatibility  
58DH/SS/SX, 48D/G/K [LH680512](#)

**Ignitor**

**Totaline**  
[P671-1004](#)

**Pilot**

**Totaline**  
[P671-4249](#)  
[P671-4259](#)

**Switch**

**Replacement Components Draft Inducer Switch.** Confirm model compatibility  
L200-99F [HH18HA493](#)

**Replacement Components Flame Rollout Switch.** Confirm model compatibility  
L215F, manual reset [HH18HA416](#)  
L285F, manual reset [HH18HA587](#)  
L350F, manual reset [HH18HA449](#)  
L350F, manual reset [HH18HA495](#)

**Burner | Sensor/Switch**

**Switch**



**Replacement Components High-Pressure Switch.** Confirm model compatibility

80% AFUE, 2-stage	HK06MC110
80% AFUE, 58DH/SS	306621-752
80% AFUE, 58MC/MS/MX	HK06NB124
80% AFUE, 58MVB/MVP	HK06MB023
80% AFUE, various older models	HK06WC090

**Replacement Components Limit Switch (3" Insertion).** Confirm model compatibility

L160-40F	HH12ZB160
L170-40F	HH12ZB170
L180-40F	HH12ZB180
L190-40F	HH12ZB190
L200-40F	HH12ZB200
L210-40F	HH12ZB210
L220-40F	HH12ZB220
L230-40F	HH12ZB230
L250-40F	HH12ZB250

**Replacement Components Limit Switch (Snap Disk).** Confirm model compatibility

L160-20F	338096-704
L160-40F	HH18HA508
L165-20F	338096-703
L165-40F	HH18HA499
L180-20F	338096-701
L180-40F	HH18HA502
L185-40F	HH18HA507
L190-40F	HH18HA497
L195-40F	HH18HA195
L200-20F	338096-707
L200-40F	HH18HA496
L210-40F	HH18HA498
L220-40F	HH18HA504
L240-40F	HH18HA506

**Thermistor**



**Totaline Start**

P4214006

**Thermocouple**



**Fieldpiece Type-K. A**

Type-K Wet Bulb	ATB1
-----------------	------

**Honeywell w/ push-in**

24"	Q340A1074
30"	Q340A1082
36"	Q340A1090

**Burner | Sensor/Switch**

**Thermocouple**



**Totaline w/ push-in**

36"	P671-0036
48"	P671-0048

**Thermopile**



**Totaline**

36"	P671-0313
-----	-----------

**Electrical | Board**

**Circuit Board**



**Replacement Components Gas Furnace Board.** Confirm model compatibility

58DH/DX/SS/SX	<a href="#">HH84AA021</a>
58G	<a href="#">HH84AA020</a>
58MT/TM/TU/UX	<a href="#">325879-751</a>
80% AFUE, 58MC/MX	<a href="#">325878-751</a>
80% AFUE, PSC, 58DL/MX	<a href="#">HK42FZ014</a>
80% AFUE, PSC, 58ST, 4-5 series	<a href="#">HK42FZ034</a>
80% AFUE, PSC, 58ST, 6 series	<a href="#">HK42FZ061</a>
80/96% AFUE, PWM, 2-stage	<a href="#">HK42FZ066</a>
92-95% AFUE, ECM, 1-stage	<a href="#">HK42FZ039</a>
92-95% AFUE, PSC, 1-stage	<a href="#">HK42FZ036</a>
95% AFUE, ECM, 2-stage	<a href="#">HK42FZ040</a>

**Replacement Components SPP Board.** Confirm model compatibility

48N PC1 blower board	<a href="#">HH84AA017</a>
48N PC2 inducer board	<a href="#">HH84AA018</a>

**Replacement Components Timer/Defrost Board.** Confirm model compatibility

Defrost control board	<a href="#">CES0110063-02</a>
-----------------------	-------------------------------

**Defrost Board**



**Replacement Components Timer/Defrost Board.** Confirm model compatibility

Defrost control board	<a href="#">HK32FA006</a>
-----------------------	---------------------------

**Electrical | Transformer**

**Transformer**



**MARS**

40VA 120/208/240V to 24V foot	<a href="#">50359</a>
-------------------------------	-----------------------

**MARS.** Provide power source for control circuit

40VA 120/208/240V to 24V foot	<a href="#">50354</a>
-------------------------------	-----------------------

**Replacement Components**

40VA	<a href="#">HT680054</a>
------	--------------------------

**Totaline**

120/208/240V	<a href="#">P2013402</a>
--------------	--------------------------

**Totaline Long side foot mount, UL recognized**

40VA, 120/240V prim, 24V sec	<a href="#">P2013401</a>
------------------------------	--------------------------

**Totaline.** Short side foot mount, UL recognized

50VA, 120/240V prim, 24V sec	<a href="#">P20135150</a>
75VA, 120/240/480V prim, 24V sec	<a href="#">P201-4701</a>

**Gas | Valve**

**Gas Valve**



**Honeywell Intermittent.** Confirm model compatibility

1/2" x 1/2" 24VAC 200cfh	<a href="#">SV9501M2528</a>
--------------------------	-----------------------------

**Gas | Valve**

**Gas Valve**



**Replacement Components Furnace & SPP Gas Valve.** Confirm model compatibility

80% AFUE, various models	<a href="#">EF660017</a>
80% AFUE, various models	<a href="#">EF660015</a>
80% AFUE, various models	<a href="#">EF34CW246</a>
80% AFUE, various models	<a href="#">EF32CW233</a>
92-95% AFUE, 1-stage	<a href="#">EF32CW151</a>
96% AFUE, 2-stage	<a href="#">EF33CW152</a>

**Robertshaw 700 Millivolt.** Wall thermostat actuated combination controls

3.5"wc NG, 100K btuh, 1/2" inlet	<a href="#">700-502</a>
----------------------------------	-------------------------

**Robertshaw 710 24V Low Cap.** Compact design, multi-positional capability

3.5"wc NG, 70K btuh, space heater	<a href="#">710-502</a>
-----------------------------------	-------------------------

**Robertshaw 720 Universal.** 150K btuh cap, 1/2 inlet, 3/4 outlet

24V dual gas, 1/2 and 3/8 reducer	<a href="#">720-400</a>
24V dual gas, 1/2 reducer, 1/2 FPT	<a href="#">720-402</a>
Lever actuated, LP convertible	<a href="#">720-079</a>

**Inducer | Assembly**

**Inducer**



**Replacement Components Inducer Assembly.** Confirm model compatibility

48N	<a href="#">48SS400626</a>
58GF/PA/RA	<a href="#">318984-753</a>
58SS	<a href="#">310371-752</a>
80% AFUE, 110K-155K	<a href="#">349336-762</a>
80% AFUE, 110K-155K	<a href="#">349336-763</a>
80% AFUE, 110K-155K	<a href="#">349336-764</a>
80% AFUE, 90K	<a href="#">349336-761</a>
w/clip	<a href="#">LA660003</a>
w/clip	<a href="#">LA660002</a>

**Loose Parts**



**Replacement Components Loose Parts Kit.** Confirm model compatibility

92-96% AFUE, 59SP/TP/TN/TP/MN	<a href="#">337668-701</a>
-------------------------------	----------------------------

**Inducer | Motor**

**Inducer**



**Replacement Components Inducer Motor.** Confirm model compatibility

2500-2800rpm, 115	<a href="#">HC21ZE118</a>
3000rpm, 115v	<a href="#">HC21ZS123</a>

**Inducer | Sensor/Switch**

**Clip**



**Replacement Components for Inducer Assesmbly**

<a href="#">AS31XH280</a>
---------------------------

**Inducer | Wheel**

**Inducer Wheel**



**Replacement Components Wheel.** Confirm model compatibility

80% AFUE	<a href="#">LA11XA048</a>
80% AFUE, 58*AV	<a href="#">LA11AA005</a>
80% AFUE, 58TM/TU/UH/UX	<a href="#">LA11XA046</a>

**Electrical | Pigtail**

**Power Cord**



**USD 110V SPT-3 General Purpose.** For gas furnace, PVC jacket  
 14 AWG/3 conductor x 6ft, angle plug [PT614G](#)

**Black Iron | Black Iron**

**Black Iron A (1/2)**



**DiversiTech 1/2" Black Iron Fitting.** Rated 300psi, 300F

45 elbow	<a href="#">BPF-04</a>
90 elbow	<a href="#">BPF-01</a>
90 street elbow	<a href="#">BPF-13</a>
Cap	<a href="#">BPF-25</a>
Coupling	<a href="#">BPF-07</a>
Plug	<a href="#">BPF-28</a>
Tee	<a href="#">BPF-16</a>

**DiversiTech 1/2" Black Iron Nipple.** Rated 400F

Nipple, 1.5"	<a href="#">BPN-2</a>
Nipple, 10"	<a href="#">BPN-15</a>
Nipple, 12"	<a href="#">BPN-17</a>
Nipple, 18"	<a href="#">BPN-52</a>
Nipple, 2"	<a href="#">BPN-3</a>
Nipple, 2.5"	<a href="#">BPN-4</a>
Nipple, 24"	<a href="#">BPN-53</a>
Nipple, 3"	<a href="#">BPN-5</a>
Nipple, 36"	<a href="#">BPN-54</a>
Nipple, 4"	<a href="#">BPN-7</a>
Nipple, 4.5"	<a href="#">BPN-8</a>
Nipple, 5"	<a href="#">BPN-9</a>
Nipple, 6"	<a href="#">BPN-11</a>
Nipple, 8"	<a href="#">BPN-13</a>
Nipple, Close	<a href="#">BPN-1</a>

**Black Iron B (3/4)**



**DiversiTech 3/4" Black Iron Fitting.** Rated 300psi, 300F

1/2" reducer	<a href="#">BPF-10</a>
90 elbow	<a href="#">BPF-02</a>
Coupling	<a href="#">BPF-08</a>
Tee	<a href="#">BPF-17</a>

**Venting | B Vent Fitting**

**Roof Flashing**



**Diversitech No-Calk Roof Flashing.** Auto adjusts to vent size/angle  
 3" vent pipe [5-11866](#)

**Detector | Smoke**

**Detector**



<b>Replacement Components Carbon Monoxide Detector</b>	
9V	<a href="#">900-0076-01</a>
<b>Replacement Components IAQ - CO Alarm. General Use</b>	
Battery Operated	<a href="#">21010073</a>
<b>Replacement Components IAQ - Smoke / CO Alarm. Kitchen</b>	
Battery Operated	<a href="#">21010071</a>
<b>Replacement Components IAQ - Smoke / CO Alarm. Smart Features</b>	
Hard-Wired	<a href="#">21031042</a>
<b>Replacement Components IAQ - Smoke / CO Alarm. w/IAQ &amp; Smart Features</b>	
Hard-Wired	<a href="#">21030843</a>
<b>Replacement Components IAQ - Smoke Alarm</b>	
Battery Operated	<a href="#">21031466</a>
<b>Replacement Components IAQ - Smoke Alarm. Bedroom</b>	
Battery Operated	<a href="#">21010067</a>
<b>Replacement Components IAQ - Smoke Alarm. Hallway</b>	
Battery Operated	<a href="#">21010069</a>
<b>Replacement Components IAQ - Smoke Alarm. Living Area</b>	
Battery Operated	<a href="#">21010064</a>
<b>Replacement Components Water Leak + Freeze. General Use</b>	
Battery Operated	<a href="#">21031205</a>

**Duct Smoke Detector**



<b>Totaline Watertight</b>	
	<a href="#">P270-D4120W</a>

**Sampling Tube**



<b>Totaline 1.5 ft</b>	
	<a href="#">P271-DST-1-5</a>
<b>Totaline 3 ft</b>	
	<a href="#">P271-DST-3</a>

**IAQ | Misc**

**Air Knight IPG**



<b>Rectorseal Combined germicidal UV-C and ionization technology~Ozone-free, surpasses UL 2998 std, CARB certified~Lab tested effective against airborne virus/bacteria~24VAC 50/60Hz, expanded range ballast</b>	
IPG unit w/14" bulb	<a href="#">TT-AK24IPG-14</a>
Replacement 14" bulb	<a href="#">TT-IPG-CELL-14</a>

**Chemical | Chemical**

**Acid Management**



**Nu-Calgon Rx-Acid Scavenger.** Neutralize acid in 1gal oil per dose

- 2oz liquid bottle 4301-02
- 3oz pressurized bottle 4301-05

**Acid Neutralizer**



**Rectorseal Acid Away Neutralizer.** Mineral or AB

- 4oz bottle 45004

**Acid-Away**



**Rectorseal Acid Away Neutralizer.** POE

- 4oz bottle 45009

**Adapter**



**Rectorseal Freeze Leak**

- 1/4" AC-00292

**Blue Monster HD Thread Sealant**



**Mill-Rose**

- 1/4 76009

**Chemicals**



**Nu-Calgon CalClean HD Evap Cleaner.** extra-strong liquid detergent

- 1gal bottle 4143-08

**Totaline**

- 1gal P902-0301

**Totaline Coil Cleaner.** Non-acid, biodegradable, USDA meat approved, spray and rinse

- 18oz aerosol can P902-0118

**Totaline Condenser Cleaner.** Non-acid, biodegradable, USDA meat approved, spray and rinse

- 1gal P902-0101

**Totaline Contact Cleaner**

- Aerosol P902-4120

**Totaline Easy Clean Wipes**

- 75ct tub P902-9020

**Totaline Empty Spray Bottle**

- 1qt P902-9001

**Totaline Evap Cleaner.** Cleans coil, condensate pan and drain line, no rinse

- 18oz aerosol can P902-1018
- 1gal P902-1001

**Totaline Fin Protector**

- 16oz aerosol P902-5116

**Chemical | Chemical**

**Chemicals**



**Totaline Foam Cleaning Gun**

- P902-9003

**Totaline Gas Leak Locator**

- 8oz fluorescent P9024508

**Totaline Leak Detection**

- 1qt P902-1432

**Totaline Total Fresh**

- 1/2lb tub P902-39001
- 16oz spray P902-39004
- 1lb tub P902-39002

**Cleaner**



**Nu-Calgon Nu-Contact.** Electrical Contact Cleaner

- 11oz Aerosol 4082-03

**Coil Cleaner**



**Nu-Calgon Alka-Brite.** Brightening and cleaning air-cooled condensers

- 1gal bottle 4120-08

**Nu-Calgon Blackhawk.** Expanding foam coil cleaner

- 18oz can 4127-75

**Nu-Calgon Cal-Brite Plus.** Glycolic and fluorosilic acid based

- 1gal bottle 4133-08
- 1gal bottle 4133-08

**Nu-Calgon Evap Foam No Rinse.** Alkaline, corrosion inhibitor, lemony

- 18oz can 4171-75

**Nu-Calgon Evap Pow'r-C.** No rinse, near neutral, NSF A1/K4 food safe

- 1gal bottle 4168-08

**Nu-Calgon Nu-Brite.** Alkaline, strong foaming, ODU only

- 18oz aerosol can 4291-18
- 1gal bottle 4291-08

**Nu-Calgon TriClean 2x.** ODU only w/std hose, low-foam, biodegradable

- 1qt sprayer w/hose connector 4372-24

**Nu-Calgon Tri-Pow'r HD.** HD alkaline detergent-degreaser-deodorizer

- 1gal bottle 4371-88

**Disinfectant Cleaner**



**Nu-Calgon Evap-Fresh No Rinse.** Mildewstat, fungicide, deodorizer

- 18oz can 4166-75

**Dye**



**WCS Max Seal Direct Inject.** UV Dye

- 30-101

**Chemical | Chemical**

**Flame Protectant**

**Nu-Calgon Thermo-Trap Gel.** Protect surfaces when soldering/brazing  
1qt spray bottle [4371-32](#)



**Foam Sealant**

**DiversiTech Foam Sealant.** Expanding PU, R-4.7, 12hr cure, paintable  
12oz can, 275ft x 3/8" [01714](#)



**Nu-Calgon Nu-Foam.** Expanding PU Sealant, R-4.9, rated 240F  
12oz can [4293-04](#)

**Hand Towel**

**Nu-Calgon Great Wipes.** Pre-moistened, pumice scrubbing, citrusy  
75ct tub [4185-75](#)



**Heat Blocker**

**Refrig Tech Heat Blocking Putty.** Reusable, blocks direct and conductive heat  
12oz jar [RT400P](#)



**Insect Killer**

**Nu-Calgon Nu-Kill.** Tetramethrin, kills wasps/scorpions, 20ft blast  
13.5oz spray can [4292-75](#)



**Leak Detection**

**Nu-Calgon Cal-Blue Plus.** Works at 5F, long bubbling, non-corrosive  
1gal bottle [4182-08](#)  
1qt spray bottle [4182-24](#)

**Nu-Calgon Gas Leak Detector.** Detects leaks as small as 0.5oz/yr  
6oz bottle [4180-53](#)

**Spectroline Cool Seal EZ-Ject.** Seal microleaks in AC, evap, O-ring, hoses  
0.5oz refill cartridge, treat up to 4T [SPE-CS-1CS](#)  
Kit w/2 cartridges, injector/hose, fitting [SPE-CS-100CS](#)

**Spectroline EZ-Ject POE Dye.** Add dye w/o pouring, refrig, manifold, hose  
0.5oz refill cartridge [SPE-EZ5E-CS](#)  
Kit w/dye, lamp, hose/injector, ftg, [SPE-OPK-40EZ/E](#)

**Spectroline Glo Seal Dye/Sealant.** Pinpoint and seal AC&R microleaks  
0.5oz refill cartridge, treat up to 3.5T [SPE-EZDS-CS](#)  
Kit w/2 cartridges, injector/hose, fitting [SPE-EZDSK-CS](#)

**Leak Sealant**

**DiversiTech Flex Shot w/UV.** Locate, seal, prevent minor ACR leaks  
0.3oz single use hose, up to 12T [995](#)



**Chemical | Chemical**

**Leak Sealant**

**Nu-Calgon A/C EasySeal.** Kit  
Treats 1.5-5 ton [4050-06](#)



**Nu-Calgon EasySeal Ultimate**  
Large system, 2-10 ton [4050-08](#)

**Rectorseal AC Leak Freeze Pro**  
1.5 oz nano [AC-45316](#)

**Rectorseal AC Leak Freeze Pro.** Non-polymer nano particles for dual seal  
1.5oz cartridge w/hose [AC-45317](#)

**Leak Sealant/UV Dye**

**DiversiTech LeakArmor Dry-R.** Up to 6T system  
0.14oz vacuum can [980](#)



**Recovery Tank**

**DiversiTech Empty Recovery Tank.** 3/4" NPT, Y-valve, 17lb tare  
9" x 18", 26.2lb capacity [02033](#)



**DiversiTech Empty Recovery Tank.** 3/4" NPT, Y-valve, 28lb tare  
12" x 19", 47.7lb capacity [02053](#)

**Re-New Spray**

**Nu-Calgon Noise Reducer.** Compressor Spray  
[4057-55](#)



**Roof Cement**

**DiversiTech Black Jack AW.** Asphalt compound, wet/dry use  
1gal can [RM-1G](#)



**Sealant**

**Nu-Calgon Pan-Spray.** Sealant Black  
16oz can [4296-51](#)



**Nu-Calgon Spray-n-Bond.** Wide web aerosol for insulation/duct liner  
12 ounce can, low VOC [4369-85](#)

**Shine**

**Nu-Calgon Spray.** Polish  
[61118](#)



**Shop Towels**

**Nu-Calgon Dragon Towel.** HD, disposable, 12" x 12.5"  
100ct box [4162-01](#)



**Chemical | Chemical**

**Sprayer**



**Nu-Calgon Coil Gun.** For spraying coil cleaner solution w/std hose  
1ea kit w/gun, 2qt bottle, (2) tips 4774-0

**System Flush**



**DiversiTech Pro-Flush.** For burnout, retrofit, R410A conversions

16oz refill can PF-16  
Kit w/tank, valve, hose, 8oz solvent PF-KIT

**Nu-Calgon Rx11-Flush.** For burnout, retrofit, R410A conversions

Kit w/1lb can, hose, gun, valve 4300-08  
Refill, 1lb can 4300-09  
Refill, 2lb can 4300-11

**WD40**



**MARS Spray**

11oz 79037

**Chemical | Lubricant**

**Lubricant**



**DiversiTech Trigger nozzle.** 11oz Can

11oz can 741-002

**Supco M098 Zoom Spout.** Paraffin base, non-gumming, telescoping spout

4oz bottle M098

**Chemical | Oil**

**Chemicals**



**Totaline Acid Neutralizer**

P908-0001

**Oil**



**Totaline P0E220**

5 gal P903-2305  
for HFCs, 1gal P903-2301

**Totaline P0E220vs**

1 qt P903-2325

**Totaline P0E32**

1 gal P903-1601  
1 qt P903-1625

**Totaline P0E32e**

1 gal P903-2401

**Totaline P0E68**

1 gal P903-1701  
for R134a, 1gal P903-1001

**Chemical | Oil**

**Oil**



**Totaline Refrigeration**

mineral oil, 1gal P903-0101

**Totaline Vacuum Pump**

1 gal P903-0601  
1 qt P903-0632

**Chemical | Sealant/Paint**

**Duct Sealant**



**American Sealants Grey**

1gal DP1030G

**American Sealants Water-Based**

1gal DP1010

**American Sealants White**

1gal DP1030

**GulfCoat**



**Rectorseal Aerosol**

12oz 80401

**Hot 203L**



**Rectorseal Medium Body Solvent PVC Cement**

.5 pt 55989

**PVC Cement**



**DiversiTech Medium Clear.** Up to 4" PVC

4oz can 5-14

**DiversiTech Rain-R-Shine, up to 6" PVC.** Blue, wet condition

8oz can 530-30891

**Sealant**



**DiversiTech Alum, Food Grade, 450F Rated.** 10.3oz Caulk Tube

7-4200

**DiversiTech Silicone Sealant**

Clear, food grade, 450F, 10.3oz tube 7-4000

Red, high temp, 500F, 10.1oz tube 7-4300

**DiversiTech White, Food Grade, 450F Rated.** 10.3oz Caulk Tube

10.3oz caulk tube 7-4100

**Thread Sealant**



**DiversiTech Permatex w/PTFE, Max 400F, 5000psi.** 4oz Brush Can

4oz can 7-80632

**Chemical | Tape/Mastic**

**Butyl Tape**



**Hardcast Foil-Grip 1402.** Duct joint, gen purpose, water resist  
2" x 100ft, unprinted

[AFG1402-2](#)

**Duct Sealant**



**Hardcast CCWI-181.** All purpose for all metal duct, duct board, flex duct  
1gal, grey  
1gal, white

[CCW-181G](#)

[CCW-181W](#)

**Duct Tape**



**3M 3M Silver**

2" [1599B-2](#)

**3M Aluminum**

2.5" [1581A-2-1/2](#)

**Berry Silver, 10mil, Multi-Purpose.** 2in x 180ft Roll

[243A2X60](#)

[243A2X60](#)

**Berry Silver, 11mil, Pro Grade.** 2in x 180ft Roll

[251A2X60](#)

**Duct Tape, Polyken 236**



**Berry Global**

[236B2](#)

**Electrical Tape**



**DiversiTech Cork Tape.** Black, resists chemical/oil, not rated

8.5mil x 2" x 30ft roll [6-330](#)

**DiversiTech Super 33+.** Black, woven glass cloth, 600V/220F rated

7mil x 3/4" x 66ft [ET33](#)

**MARS Aluminum & Copper Adhesion**

7mil x 3/4" x 66ft [86184](#)

**Foil Tape**



**Berry Global 337 Multi-Purpose Plain Aluminum Foil Tape**

Silver, 3.7mil x 2" x 50yd [337A2X50](#)

**Berry Global 339 Cold Weather Premium Foil Tape**

Silver, 4.8mil x 2.5" x 60yd [339A25](#)

**Berry Silver, 3.7mil, Multi-Purpose.** 3in x 150ft Roll, Polyken 337

[337A3X50](#)

**Line Set Tape**



**Berry Global 444 Line Set Tape**

Black, 3mil x 2" x 60yd [444BP](#)

**Chemical | Tape/Mastic**

**Pipewrap Tape**

**Berry Global 777 General Purpose PVC Electrical Tape.** 7 mil

Black, 3/4" x 60ft [777-3/4X60](#)

**Tape**



**Berry Global 338 FSK Insulation Tape**

Silver, 9.25mil x 3" x 50yd [338A3X50](#)

**DiversiTech Foam tape, for hot or cold pipe.** Black, not rated

1/8" x 2" x 30ft roll [6-9718](#)

**Mill-Rose Blue Monster Thread Tape**

1/2" [70885](#)

**Tool | Accessory**

**Hard Start**

**CPS 5-2-1 Compressor Saver.** 208/240V only, for scroll or reciprocating  
1-3T, 88-108mfd CSRU1

**Plastic Anchor Kit for Drywall**

**DiversiTech #10 x 1.25 Screw, 5/6in Head**

100ea Anchor/Screw Box Set 540-AK100

**Shop Towels**

**DiversiTech 100% Cotton, Pre-Washed**

14" x 17", White, 24pk DTT-24

**Totaltest**

**Replacement Components**

TT2-002  
TT1-002

**Tool | Brazing**

**Brazing and Refrigerant Fitting**

**Navac Rapid-Y Connector.** Large boring, flow-friendly, facilitates evacuation

2 x 3/8 M to 1/4 FE, 1ea F1029

2 x 3/8 M to 3/8 FE, 1ea F1028

**Sil-Fos**

**Lucas 15% Silver**

61035

**Tool | Electrical**

**Adapter**

**Totaline flat, 40pk.** Misc accessories

Double M-F P298-7MMF250

**Totaline piggyback, 30pk.** Misc accessories

Double M-F P298-77250

**Cable Tie**

**Totaline**

10-24 AWG P298-WS

**Totaline Black**

12/65 P298-TEW12/65BLA

14/41 P298-TEW14/41BLA

16/26 P298-TEW16/26BLA

**Tool | Electrical**

**Cable Tie**

**Totaline.** Misc accessories

11.3", 50pk, black P298-TF6X

11.3", 50pk, natural P298-TF6

14.5", 50pk, black P298-TF8X

14.5", 50pk, natural P298-TF8

15", 25pk, black P298-TF7X

15", 25pk, natural P298-TF7

22-8 AWG 375pk P298-TWISTONKIT

5.8", 100pk, black P298-TF4X

5.8", 100pk, natural P298-TF4

7.5", 1000pk, black P298-TF5XB

7.5", 100pk, black P298-TF5X

7.5", 100pk, natural P298-TF5

7.75", 50pk, natural P298-TF5H

8", 50pk, black P298-TF5HX

**Totaline White**

12/65 P298-TEW12/65WHI

**Clamps**

**Totaline.** Misc accessories

Nylon cable clamp, 1/4", 45pk P298-CC0250

Nylon cable clamp, 3/8", 40pk P298-CC0375

**Connector**

**Totaline.** Misc accessories

Closed end connector, 18-10AWG, 40pk P298-CES1810

**Romex Connector**

**DiversiTech Metallic Romex Connector.** Zinc die cast, UL listed

3/8" Romex for 1/2" knockout 750-RC841

**Terminals**

**Totaline Red 22-18AWG.** Misc accessories

Ring terminal, #8, 20pk P298-8R0250

**Totaline Red, Blue, Yellow.** Misc accessories

22-10 P298-TERMKIT450

**Totaline Red.** Misc accessories

22-10 P298-RS10

22-18 P298-RR10

**Test Clip**

**MARS Alligator Clips**

86070

**Tool | Electrical**

**Test Lead**



<b>MARS Deluxe Silicone</b>	
Alligator Leads	86071

**Wire Connector**



<b>DiversiTech Devco 300V Screw-On.</b> 105C rated	
Blue, 72B #22-14 AWG, 100ea	623-002
<b>DiversiTech Devco 600V Screw-On.</b> 105C rated	
Orange, 73B #22-14 AWG, 100ea	623-003
Red, 76B #18-10 AWG, 100ea	623-005
Yellow, 74B #22-12 AWG, 100ea	623-004
<b>DiversiTech Devco winged.</b> 600V/105C	
Blue, size 89 #14-6 AWG, 50ea	623-008
<b>Totaline Blue 16-14AWG.</b> Misc accessories	

Block spade, #10, 100pk	P298-BS10
Block spade, #6, 100pk	P298-BS6
Block spade, #8, 100pk	P298-BS8
Butt connector, 100pk	P298-BBS
Butt connector, heat shrink, 10pk	P298-HSBBS
Multi-stack, 30pk	P298-BQDFM
QD flag, female, 30pk	P298-BFFI250
QD insulated, female, 40pk	P298-BQDFFI250
QD insulated, male, 40pk	P298-BQDMFI250
QD, female, 0.187mm, 100pk	P298-BQDF187
QD, female, 100pk	P298-BQDF250
QD, male, 100pk	P298-BQDM250
Ring Terminal, #10, 100pk	P298-BR10

<b>Totaline Grey 12-8AWG.</b> Misc accessories	
Comp Terminals, 20pk	P298-COM1208
<b>Totaline Grey 22-14AWG.</b> Misc accessories	
Closed End Connectors, 40pk	P298-CES2214
<b>Totaline Lead Kit.</b> Misc accessories	
10AWG	P298-LEADS-10
<b>Totaline.</b> Misc accessories	
	P298-DWA2

<b>Totaline Red 22-18AWG.</b> Misc accessories	
Butt connector, 100pk	P298-RBS
QD insulated, female, 40pk	P298-RQDFFI250
QD insulated, male, 40pk	P298-RQDMFI250
QD, female, 100pk	P298-RQDF250

<b>Totaline Yellow 12-10AWG.</b> Misc accessories	
Block spade, #10, 75pk	P298-YS10
Block spade, #10, 75pk	P298-YR10
Block spade, #8, 75pk	P298-YS8
Butt connector, 75pk	P298-YBS
QD insulated, female, 30pk	P298-YQDFFI250
QD, female, 75pk	P298-YQDF250

**Tool | Electrical**

**Wiring Accessories**



<b>Totaline</b>	
	P298-DWA3
<b>Totaline High Temp 16-14AWG.</b> Misc accessories	
Flag, female, 75pk	P298-HTBFF250
QD, female, 100pk	P298-HTBQDF250
<b>Totaline High Temp 22-18AWG.</b> Misc accessories	
QD, piggy-back, 100pk	P298-RQDFM
<b>Totaline.</b> Misc accessories	
Heat shrink tube, 6" assorted, 6pk	P298-DWA1
<b>Totaline Red 22-18AWG.</b> Misc accessories	
QD, male, 100pk	P298-RQDM250
<b>Totaline Yellow 12-10AWG.</b> Misc accessories	
QD insulated, male, 30pk	P298-YQDMFI250

**Tool | Hand Tool**

**Attachment**



<b>Milwaukee Right Angle</b>	
	49-22-8510

<b>Bit Tip</b>	
	

<b>Milwaukee</b>	
7/8IN - 1-3/8IN	48-32-4462 48-89-9212

<b>Chip Brush</b>	
	

<b>DiversiTech Synthetic Bristle Brush</b>	
2" brush	B-503

<b>Copper Tubing Cutter</b>	
	

<b>Milwaukee Mini</b>	
1"	48-22-4251

<b>Crimp Tool</b>	
	

<b>Totaline 4 Dies</b>	
	P298-25000

<b>Drill Bit Set</b>	
	

<b>Milwaukee</b>	
	48-89-2803

**Tool | Hand Tool**

**Driver Bit Set** 

Milwaukee 54 Piece. Shockwave Impact Duty  
48-32-4010

**Gloves** 

Milwaukee Ni-Flex Nitrile Glove  
48-22-8903

**Grip Pliers** 

Milwaukee 6-IN-1  
48-22-3079

**Knife** 

Milwaukee  
48-22-1530  
48-22-1901

**Lamp** 

Milwaukee  
2163-21

**M12** 

Milwaukee Cordless Drill Kit  
2505-22

Milwaukee Force Logic Press Tool. ~Includes tool, 2 batteries, charger and case  
Milwaukee M12, 24kN rated  
2473-20

Milwaukee Hackzall  
2420-21

Milwaukee Nibbler  
2476-20

Milwaukee Redlithium XC 3.0. Battery Pack  
12V, 3A  
48-11-2412

**M18** 

Milwaukee Compact Blower  
100 cfm  
0884-20

Milwaukee Cordless  
2626-20

Milwaukee Cordless Drill/Driver w/ Bag  
1/2" Driver, 1/4" Hex  
2691-22

Milwaukee RedLithium CP 2.0. Battery Pack  
18V, 2A  
48-11-1820

**Tool | Hand Tool**

**M18** 

Milwaukee RedLithium XC 5.0. Battery Pack  
18V, 2A  
48-11-1850

**Marker** 

Milwaukee  
48-22-3100

**Pen Light** 

Milwaukee  
2105

**Pliers** 

Milwaukee Comfort Grip Straight Jaw. Set  
2-Piece  
48-22-6330

**Screws** 

Malco. 1/4 in. Hex Head, 1/2 in. L, #8  
1000pk  
BT131T

**Sheet Metal Screw**

Diversitech Drill Point. Hex washer slot head  
#08 x 0.75", 1/4" head, 500pk  
5-SCR83-4DP  
#10 x 0.75", 5/16" head, 500pk  
5-SCR103-4DP  
#10 x 1.5", 5/16" head, 500pk  
5-SCR101-2DP

Diversitech Taper Point. Hex washer slot head  
#08 x 0.75", 1/4" head, 1000pk  
5-SCR83-4

Malco Bit-Tip Drill Point. Zinc plated, hex washer slot head  
#08 x 0.75", 1/4" head, 500pk  
BT133T  
#10 x 0.5", 5/16" head, 500pk  
BT141T  
#10 x 0.75", 5/16" head, 500pk  
BT143T

Malco Zip-in Taper Point. Zinc plated, hex washer slot head  
#08 x 0.5", 1/4" head, 1000pk  
HW8X1/2ZT  
#08 x 0.75", 1/4" head, 10000pk  
HW8X3/4Z  
#08 x 1.0", 1/4" head, 500pk  
HW8X1ZT  
#08 x 1.5", 1/4" head, 250pk  
HW8X11/2ZT  
#08 x 2.0", 1/4" head, 250pk  
HW8X2ZT

**Tool** 

Milwaukee  
48-00-5036

Milwaukee 14T  
48-00-5182

**Tool | Hand Tool**

Tool	
Milwaukee 24T	
	48-00-5186
Milwaukee 6LG	
	48-00-5035
Milwaukee Blades. Sawzall 5T	
5pk	48-00-5026

**Tool | Meter/Gauge**

Clamps	
Navac. Quick, accurate, adjustable 1-1/8" jaws, large backlit LCD	
600V, 400A, 4000mfd, -40F-1832F	NMC1

Hoses	
JB Industries 800 psi	
60" 1/4" x 1/4" Secure seal hose set	CCLS-60
JB Industries Heavy-Duty Charging Hose. Will not collapse/permeate	
48" 3/8" x 1/4" SAE flare 1/2"	CL264-48
JB Industries KOBRA Hoses	
60" 3/8" x 3/8", gasket seal 1/4 turn	CLV6-60
JB Industries KOBRA Hoses. A	
60" x 1/4" x 1/4" ball valve, 3pc	CCLBV-60
Navac Evacuation. 3200psi burst, 640psi working pressure, 1/2" hose, 6ft length	
1/2"-1/4" connector	NHB2
3/8"-1/4" connector	NHB1

Leak Detector	
JB Industries Refrigerant	
Detects all HFC, HCFC, HFO and	LD-5000
Navac. For CFC, HCFC, HFC, 50psi, 15.7" leads, 8hr battery	
1ea tool	NML1

Valve Core	
Navac. Dual-Size Tool: Fits 1/4" and 5/16" flare fittings	
	NVR2

**Tool | PPE**

Abrasive Cloth	
DiversiTech Al Oxide 120 Grit	
1.5" x 10yd roll	SC-10
1.5" x 25yd roll	SC-25

**Tool | PPE**

Abrasive Cloth	
MARS	
1.5" x 10yd roll	78928
Gloves	
Lift Safety Ni-Flex Nitrile Glove. 5mil, disposable, powder free, textured tips	
100ct box, medium	GNX-1KM
100ct box, sizes M-L	GNX-1KL
95ct box, sizes XL-2XL	GNX-1K1L
Lift Safety Ni-Flex Nitrile Glove. Microfoam, Palm dipped, Palmer 13ga polyester	
1pr, sizes M-2XL	GPM-19KL

Knee Protection	
Lift Safety Apex Gel Knee Guard. Internal insert, hinged, adjustable, TPR cap	
1pr	KAX-OK
Lift Safety Kneeling Mat. Medium density closed cell PU, carry handle slot	
20.5" x 14", 1ea	KKM-16K
Lift Safety Pivotal 2 Knee Guard. Formed EVA pad, adjustable, TPR cap	
1pr	KP2-OK

**Tool | Tool**

Chargine Hose for 980/990 Dye	
DiversiTech w/Push Button Valve & Orifice. 1ea Hose Kit	
	20122
Condensate Drain Kit	
DiversiTech 20g CO2 Drain Gun. 800psi, 3/8- 3/4" line	
12pk refill cartridge For SG-1	SGC-12
1ea gun, hose, tip kit	SG-1

Flaring Tool	
Navac Brazing. One hand operation, incl. battery, charger, case	
1ea tool kit	NEF6LM

Gas Regulator	
DiversiTech For N/CO2, Max 475psi. 1ea Gauge/Nut Kit	
	CT-475M

Lighted Mirror Tool	
Fieldpiece XTMSD LED	
	PLM2

**Tool | Tool**

<b>M18</b>	
------------	---

<b>Milwaukee Vacuum Pump.</b> A2L Compatible 5 cfm, 1/2 hp, 1725/1425 rpm	2941-21
--	---------

<b>Scale</b>	
--------------	---

<b>Navac Wireless Scale.</b> Portable, Bluetooth handheld device, 0.05% precise 220lb max weight	NRS2I01
---	---------

<b>Thermometer</b>	
--------------------	---

<b>Fieldpiece Pocket Knife Style</b>	
LCD Display	SPK1
LCD Display	SPK2

<b>Navac Infrared.</b> 500mS response, -25.6 to 752F, 2% precision 1ea tool	NMT300
--	--------

<b>Tool Kit</b>	
-----------------	---

<b>JB Industries Mini-Split Tool Kit in Back Pack</b> 1/4"	MSKIT1
---	--------

<b>Tubing Tools</b>	
---------------------	--

<b>Navac Ratcheting Tube Bender.</b> For 1/4"-7/8" OD, 100 use/charge, auto release Tool w/battery, charger, case	NTB7L
--	-------

<b>Navac Reverse Bending Attachment.</b> For 1/4"-7/8" OD, 100 use/charge, auto release Reverse bending attachment kit	NTBRK
---	-------

<b>Navac Tube Expander.</b> 3/8", 1/2", 5/8", 3/4", 7/8" Manual Tool	NTE7
---	------

<b>Navac Tube Expander.</b> 3/8" to 1-1/8" heads, 200 use/charge Power Tool w/heads, battery/charger,	NTE11L
--	--------

<b>Vacuum Pump</b>	
--------------------	---

<b>Fieldpiece VP-Series.</b> A2L certified, RunQuick oil change, removable cord 6 cfm, 1/2hp, 4 port (1/4"-1/2")	VP67
8 cfm, 3/4hp, 4 port (1/4"-1/2")	VP87


<b>JB Industries</b> 7 cfm, 1/2hp, 3 port (1/4"-1/2")	DV-200N
--	---------

<b>JB Industries.</b> A2L Compatible 8.4 cfm, 1/2 hp, 1725/1425 rpm	DV-240DC
--	----------

**Tool | Vacuum/Valve**

<b>Clamp</b>	
--------------	---

<b>Fieldpiece Pipe</b> 1-3/8" max dia	TC24
--	------

<b>Clamp Meter</b>	
--------------------	---

<b>Fieldpiece CompactTrue RMS</b> 400A	SC260
---	-------

<b>Fieldpiece Dual Display True RMS Swivel.</b> In-Rush 400A	SC640
---	-------

<b>Core Tool</b>	
------------------	---

<b>JB Industries Removal Tool</b> Pressure up to 600 psi	CM-CRTOOL
---	-----------

<b>Coupler</b>	
----------------	---

<b>JB Industries</b>	QC-206
----------------------	--------

<b>Detector</b>	
-----------------	--

<b>Fieldpiece Carbon Monoxide</b> 0 to 1000 ppm CO	SCM4
---	------

<b>Fitting</b>	
----------------	---

<b>JB Industries Cap</b> 1/4" cap, 10pk	NFT5-4
--	--------

<b>JB Industries Coupler</b> 5/16" Male x 1/4" Female	QC-S5
--	-------

<b>Fittings</b>	
-----------------	---

<b>JB Industries Dual Y High Speed Quick Coupler Connector</b> 1/2" (1/2" x 3/8" x 3/8")	QC-208
---	--------

<b>JB Industries Reverse-Thread Adapter.</b> A2L 1/4" FE SAE flare left-handed x Male	QC-A2L-LH QC-A2L-LH45
--	--------------------------

<b>Flaring Tool</b>	
---------------------	---

<b>JB Industries Ratcheting</b> 3/16", 1/4", 5/16", 3/8", 1/2", 5/8"	T30600
---	--------

<b>Gauge</b>	
--------------	---

<b>Fieldpiece Wireless Vacuum Gauge.</b> Stand alone, Job Link app or SMAN 1ea wireless digital gauge	MG44
--	------

**Tool | Vacuum/Valve**

**Gauge**



**JB Industries Vacuum Gauge**  
1ea digital gauge w/carry case DV-24N

**Hoses**



**JB Industries KOBRA Hoses**  
60" x 1/4" x 1/4" gasket seal, 3pc CCLE-60

**Manifold**



**Fieldpiece 3-Valve. A2L**  
SM382V

**Fieldpiece 4-Valve Electric. A2L**  
SM482V

**JB Industries Classic Brass. R22, R404a, R410a**  
2-Valve with 2-1/2" Gauges, Charging M2-5-410AB

**JB Industries Manifold**  
4-Valve Wireless Digital Brass Manifold DM4-RW

**JB Industries Zeppelin. A2L**  
4-Valve Forged Aluminum Manifold 25633

**JB Industries Zeppelin. R22, R404a, R410a**  
4-Valve Forged Aluminum Manifold with 25233

**Navac Gauge w/Digital Display. A2L**  
N2D72

**Manifold/Hoses**



**JB Industries Heavy-Duty Charging Hose. Will not collapse/permeate**  
60" x 3/8" x 3/8" CL6HD-60

**Manometer**



**Fieldpiece Dual Port**  
SDMN5

**Fieldpiece Dual Port w/Pressure Switch Tester**  
SDMN6

**Multimeter**



**Fieldpiece Classic Style Digital Multimeter. Temp, MFD, Microamps, Frequency and Backlight**

200MFD Capacitance LT17A

**Fieldpiece True RMS Stick Style, w/Backlight**  
detachable silicone test leads and HS36

**Tool | Vacuum/Valve**

**Psychrometer**

**JB Industries Digital Humidity and Temperature Sensor**  
-40 to +125 WH-1

**Refrigerant Leak Detector**



**Fieldpiece Infrared, A2L Compatible**  
DR82

**Refrigerant Fitting**



**JB Industries Fittings**  
1/4" SAE tee w/swivel flare & A31851

**Refrigerant Leak Detector**



**JB Industries Quest Electromechanical A2L Compatible**  
18" LD-3000

**Refrigerant Locking Cap Key**



**JB Industries Universal Shield, Novent, C&D Locking Caps**  
SHLD-MULTI

**Refrigerant Recovery**



**Fieldpiece R22,R134a, R410A, R407C, R32. A2L Compatible**  
1HP MR45

**JB Industries R22,R134a, R410A, R407C, R32. A2L Compatible**  
1.25HP Brushless, Spark-Proof F6-BOOST

**Navac R22,R134a, R410A, R407C, R32. A2L Compatible**  
1HP NR7

**Replacement Sensor**



**JB Industries for use with DDV-22W Gauge**  
DV-22W

**Scale**



**Fieldpiece Refrigerant. Wireless**  
252lb SR47

**JB Industries Atlas Refrigerant Scale**  
220lb capacity, LCD screen DS-20000  
250lb capacity, LCD screen, DS-250

**System Charge Kit**



**Fieldpiece Charge & Air Kit**  
JobLink JL3KH6

**Tool | Vacuum/Valve**

**System Pressure Probe**



Fieldpiece JobLink  
JL3PR

**Temp Clamps**

JB Industries Wireless  
WC-2

**Test Lead**



Fieldpiece Deluxe Silicone  
Clamp Accessory Head ADLS2  
Leads, and probe tips ADK7

**Tube Bender**



JB Industries Maxi Set  
3/8", 1/2", 5/8", 3/4", 7/8"  
RT23022

**Tube Cutter**

JB Industries Tool  
1/8" to 1-1/8"  
RT70015

**Vacuum Gauge**



Navac Gauge. Pirani sensor, digital display, rechargeable, 0.01mic, 122F  
500psi, 75000 micron, 1000 accuracy  
NMV1S

**Vacuum Pump**



Navac. A2L Compatible  
2cfm, 2 port (1/4"-3/8"), 5Ah battery NP2DLM  
6cfm, 3/4hp, 3 port (1/4"-1/2") NRP6DI  
7cfm, 3/4hp, 26lb, 1yr wty NP7DP2

**Vacuum Pump Oil**



Fieldpiece VP-Series. Oil specifically designed for VP-series pumps  
8oz, 3pk oil reservoir OIL8X3

**JB Industries Black Gold Oil**

1gal bottle DVO-24  
1pt bottle DVO-1  
1qt bottle DVO-12

**Valve**



JB Industries Access Valve  
1/4" OD  
A31004

**Tool | Vacuum/Valve**

**Valve**



JB Industries Access Valve  
1/8" OD A31002  
3/8" OD A31006  
5/16" OD A31005

JB Industries Core  
1/4", 25pk A31999-25

JB Industries CoreMax  
CM-VC003

**Valve Core**



JB Industries  
1/4" A31999

JB Industries Removal Tool  
1/4" A32525SVT

**Voltage Detector**



Fieldpiece Non-Contact  
4VAC to 440VAC range  
SNCV1

**Residential | Accessories**

**Stat Guard** 

Totaline Clear Ring Base  
8-1/4x5-3/8x3-1/2 [P269-0007](#)

**Residential | Non-Programmable**

**Thermostat** 

Honeywell N100 FocusPro. Non-Programmable

1H/1C [TH1110U4000](#)  
2H/2C AC, 3H/2C HP [TH1320U4002](#)

**Residential | Programmable**

**Accessory** 

DiversiTech Universal accessories work with all Pro1 models

Pro1 thermostat guard [T150](#)  
Pro1 wall plate [T119](#)

Ecobee Accessories for ecobee smart thermostats

SmartSensor [EB-RSHM2PK-01](#)

**Controls** 

Honeywell PRO 2000 Vertical. Programmable 5/2

1H/1C [TH2110DV1008](#)

**Non-Programmable - T600 Series** 

DiversiTech {Simple} Heavy-duty product at a great price~{Features} 2" LCD, manual changeover, builder grade

1H/1C [T601-2](#)

**Non-Programmable - T700 Series** 

DiversiTech {Great Value} Commonly desired features with a model for every system. 4" LCD, Manual Changeover

1H/1C [T701](#)

**Programmable - T700 Series** 

DiversiTech {Programs} 7 day, 5/1/1~{Presets} Intuitive wake, leave, return and sleep~{Features} 4 sq in display, manual changeover~ - {T755} Adds 7" LCD, auto changeover, 3 fan speed~ - {WiFi} Adds 7" LCD, programs only via Pro1 app. 4" LCD, Manual Changeover

1H/1C [T705](#)  
1H/1C AC, 2H/1C HP, dual fuel [T725](#)  
2H/2C [T715](#)

**Residential | Programmable**

**Programmable - T700 Series** 

DiversiTech {Programs} 7 day, 5/1/1~{Presets} Intuitive wake, leave, return and sleep~{Features} 4 sq in display, manual changeover~ - {T755} Adds 7" LCD, auto changeover, 3 fan speed~ - {WiFi} Adds 7" LCD, programs only via Pro1 app. 7" LCD, Auto Change, Best Truck Stock

2H/2C AC, 3H/2C HP, dual fuel [T755](#)

DiversiTech {Programs} 7 day, 5/1/1~{Presets} Intuitive wake, leave, return and sleep~{Features} 4 sq in display, manual changeover~ - {T755} Adds 7" LCD, auto changeover, 3 fan speed~ - {WiFi} Adds 7" LCD, programs only via Pro1 app. T755+Wireless, Humidity, Occupancy

2H/2C AC or 4H/2C HP [T755WHO](#)

DiversiTech {Programs} 7 day, 5/1/1~{Presets} Intuitive wake, leave, return and sleep~{Features} 4 sq in display, manual changeover~ - {T755} Adds 7" LCD, auto changeover, 3 fan speed~ - {WiFi} Adds 7" LCD, programs only via Pro1 app. WiFi Ready

1H/1C [T7011](#)  
1H/1C AC, 2H/1C HP, dual fuel [T7211](#)

**Programmable - T800 Series** 

DiversiTech {Advanced} Striking design, feature rich, yet easy to use~{Programs} 7 day, 5/1/1, non-program, commercial~{Presets} Intuitive wake, leave, return and sleep~{Features} 8 sq in display, auto changeover. Feature Rich Single Stage

1H/1C [T805](#)

DiversiTech {Advanced} Striking design, feature rich, yet easy to use~{Programs} 7 day, 5/1/1, non-program, commercial~{Presets} Intuitive wake, leave, return and sleep~{Features} 8 sq in display, auto changeover. Multi Stage

2H/2C AC or 3H/2C HP [T855](#)

DiversiTech {Advanced} Striking design, feature rich, yet easy to use~{Programs} 7 day, 5/1/1, non-program, commercial~{Presets} Intuitive wake, leave, return and sleep~{Features} 8 sq in display, auto changeover. WiFi, Sensor Compatible, Humidity

2H/2C AC or 5H/3C HP [T855ISH](#)

**Thermostat** 

Ecobee 6 Smart Pro Premium, WiFi, 7 Day Programmable, Humidity Sensing, 2H/2C+2H Aux, IAQ, 24VAC. Confirm model compatibility

1 SmartSensor, PEK, mount/trim, labels [EB-STATE6P-01](#)

Ecobee 7 Smart Pro Lite, WiFi, 7 Day Programmable, Humidity Sensing, 2H/2C+2H Aux, 24VAC. Confirm model compatibility

1 SmartSensor, PEK, mount/trim, labels [EB-STATE7P-01](#)

Honeywell Focus Pro. Programmable Wireless

2H/2C AC, 3H/2C HP [YTH6320R1001](#)

Honeywell P200 FocusPro. Programmable

1H/1C AC, 1H/2C HP [TH2110U4004](#)  
3H/2C [TH2320U4006](#)

Honeywell S200 FocusPro. Programmable Smart

1H/1C [TH2110WF4008](#)

**Residential | Programmable**

**Thermostat**



<b>Honeywell S200 FocusPro.</b> Programmable Smart 2H/2C AC, 3H/2C HP	<a href="#">TH2320WF4010</a>
<b>Honeywell T6 Pro Smart.</b> 7, 5/2 or 5/1/1 programmable 2H/2C AC, 2H/1C HP	<a href="#">TH6220U2000</a>
<b>Honeywell T6 Pro Smart.</b> WiFi, 7 day 2H/2C AC or 2H/1C HP	<a href="#">TH6220WF2006</a>
<b>Honeywell VisionPRO 8000 RedLINK.</b> 7 day, up to 4H/2C with module 2H/2C AC, 3H/2C HP	<a href="#">TH8320R1003</a>
<b>Nest 4th Gen Learning.</b> Polished Obsidian 3H/2C	<a href="#">GGA05169US</a>
<b>Nest 4th Gen Learning.</b> Polished Silver 3H2/C	<a href="#">GGA05560US</a>



## SIGLER E-COMMERCE

Ordering Online Has Never Been So Easy!

### Parts

- Coil & Piping ▾
- Compressors ▾
- Electrical Components ▾
- Heating Components ▾
- Motors ▾
- Blowers, Fan Blades & Components ▾
- OEM Casing & Hardware ▾



Coil & Piping ▾



Compressors ▾



Electrical Components ▾



Heating Components ▾



Motors ▾



Blowers, Fan Blades & Components ▾



OEM Casing & Hardware ▾



*You can use your terms or pay online using ecommerce.*



- 24/7 access to product information
- Real-time inventory and pricing
- Place orders anytime, anywhere



## RESOURCES

CUSTOMER ASSURANCE/TECH SUPPORT

Call 866-754-4822 and Select Technical Support



### PART FINDER

Scan QR code



### Search by Model Number

Enter the exact characters of the **model number** selected to view all compatible parts.

Min. of 5 characters


Make sure every character of the unit model number you entered matches exactly to the one you have.

<https://www.siglers.com/partfinder>

*\*Requires Sigler Account, with E-Commerce Login Credentials*

### PART CATALOG - LITERATURE

Scan QR code



<https://totaline.hvacpartners.com/products/parts-catalog>

### CROSS REFERENCE TOOL

Scan QR code



#### Cross Reference

Please Enter Hermetic Compressors Part Number

#### Selection Criteria

[Significance Charts / Nomenclature](#)

Comp Phase\*

Comp Voltage\*

Compressor Type\*

Refrigerant\*

Nominal Tonnage\*

<https://totaline.hvacpartners.com/products/cross-reference-tool>



## SIGLER DIGITAL WARRANTY

Process your warranty online and save time!

There are three easy ways to fill out the online form and submit your warranty credit request after you have your replacement part(s) invoice. You will get an instant digital confirmation of your claim, and our claim analyst will advise you on next steps once they review claim.

### CLICK LINK FROM PHONE OR COMPUTER

<https://www.siglers.com/submitwarranty>

**SCAN CODE  
FROM YOUR  
CELL PHONE**



**SCAN  
ME!**



*or you can fill out Warranty Form at the branch Kiosk.*



Standard Units under Carrier manufacturer warranty coverage.



Service Parts: Carrier or Totaline Parts purchased from Sigler and falls within the 1-2 year coverage period as per warranty.



Any other brand you purchased from us within std mfg warranty period.



# Sigler REGIONS

# 36 LOCATIONS

## LEGACY

### NEVADA

- LAS VEGAS
- RENO

### IDAHO

- BOISE
- TWIN FALLS
- CALDWELL

### ARIZONA


- GILBERT
- NORTH PHOENIX
- PRESCOTT VALLEY
- MESA GATEWAY
- TEMPE
- TOLLESON
- TUCSON
- YUMA

### NEW MEXICO

- ALBUQUERQUE

### TEXAS

- EL PASO



## CALIFORNIA

### SOUTHERN CALIFORNIA

- BREA
- LOS ANGELES
- CHATSWORTH
- IRWINDALE
- IRVINE
- LAKEWOOD
- THOUSAND OAKS
- EL CAJON
- ONTARIO
- PALM DESERT
- RIVERSIDE
- SAN MARCOS
- TEMECULA

### NORTHERN CALIFORNIA

- BAKERSFIELD
- CONCORD
- FRESNO
- SOUTH SACRAMENTO
- NORTH SACRAMENTO
- SAN JOSE
- SOUTH SAN FRANCISCO
- SANTA ROSA

### ARIZONA

7749 E. Ray Rd  
Mesa, AZ 85212  
623-388-5100

1350 W Rose Garden Ln  
Phoenix, AZ 85027  
623-388-5100

9702 W. Tonto  
Tolleson, AZ 85353  
623-388-5100

1976 E. 5th St  
Tempe, AZ 85281  
623-388-5100

1503 W. San Angelo St  
Gilbert, AZ 85233  
623-388-5100

7359 E 2nd St  
Prescott Valley,  
AZ 86314  
928-421-4666

3682 S. Wall St  
Tucson, AZ 85713  
520-884-9500

841 E. 21st St  
Yuma, AZ 85365  
928-317-0249

Phoenix Mobile  
Warehouse  
Troy: 480-363-8495

### NEVADA

3150 W. Sunset Rd  
Las Vegas, NV 89118  
702-221-8056

5360 Capital Ct Ste #102  
Reno, NV 89502  
775-467-2001

### NEW MEXICO

3330 Pan Am Fwy  
Albuquerque, NM 87107  
505-881-2929

### TEXAS

7250 Copper Queen #A  
El Paso, TX 79915  
915-592-2226

### IDAHO

300 N. Mark Stall Pl  
Boise, ID 83704  
208-322-4004

4224 Challenger Way  
Caldwell, ID  
208-322-4004

2050 Eldridge Ave  
Twin Falls, ID 83301  
208-643-9052

### N. CALIFORNIA

1920 Mark Ct #100  
Concord, Ca 94520  
925-825-1540

2390 Zanker Rd  
San Jose, Ca 95131  
408-453-3300

256 Sutton Place #104  
Santa Rosa, Ca 95407  
707-361-7600

229 Littlefield Ave #1  
South San Francisco  
CA 94080  
415-330-6700

7021 Schirra Court #A  
Bakersfield, CA 93313  
661-636-0792

3636 S East Ave  
Fresno, CA 93725  
559-487-1860

8671 Younger Creek #200  
Sacramento, CA 95828  
916-387-3000

1037 N Market Blvd #1  
Sacramento, CA 95834  
916-306-5669

### S. CALIFORNIA

205 S Puente St  
Brea, CA 92821  
714-578-5200

3424 N San Fernando Rd  
Burbank, CA 90065  
818-252-3351

21200 Lassen St  
Chatsworth, CA 91311  
818-885-6728

1900 Weld Blvd #100  
El Cajon, CA 92020  
619-202-1154

15041 Bake Parkway #L  
Irvine, CA 92618  
714-921-5281

15612 First St  
Irwindale, CA 91706  
626-964-4540

3648 Industry Ave  
Lakewood, CA 90712  
310-885-0368

2641 Lindsay Privado Dr  
Ontario, CA 91761  
909-390-7838

73-605 Dinah Shore #1200-L  
Palm Desert, CA 92211  
760-324-3949

14751 Meridian Parkway  
Riverside, CA 92518  
951-656-3737

804 A Rancheros Dr  
San Marcos, CA 92069  
760-975-0290

1415 Lawrence Dr  
Thousand Oaks, CA 91320  
805-981-4090

42660 Avenida Alvarado  
Temecula, CA 92590  
951-813-2000

# Thank You For Your Business!



Russell Sigler Inc., headquartered in Tolleson, Arizona, has been an independent distributor of industry-leading Carrier products for over 75 years throughout the Southwestern US.

In 2010, in a joint venture with Carrier Air Conditioning, Sigler acquired the California territory making Sigler one of the largest HVAC distributors in the world.

Residential, heavy commercial, and industrial HVAC customers come to us because they can rely on our industry-leading and innovative product lines to help get the job done. We always want to go above and beyond, providing resources, training and customer support to help your business operate at its best.

*Sigler*