



Turn to the experts

COMPATIBILITY CHARTS

**DUCTLESS
SYSTEMS**

TABLE OF CONTENTS

SINGLE ZONE DUCTLESS

Compatibility Single Zone – Infinity® Series.....	2
Compatibility Single Zone – Performance® Series.....	3
Compatibility Single Zone Hybrid Solutions – Performance® Series.....	4
Compatibility Single Zone – Comfort® Series.....	5

MULTI-ZONE DUCTLESS

Compatibility Multi-zone – Performance® Series.....	6
---	---

CONTROLS DUCTLESS

Compatibility Controls.....	7
-----------------------------	---



Turn to the experts

COMPATIBILITY CHARTS

DUCTLESS SYSTEMS

Compatibility Single Zone – Infinity® Series

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT			
		38MPRAQ09AA3	38MPRAQ12AA3	38MPRAQ18AA3	38MPRAQ24AA3
High Wall	40MPHAQ09XA3	•			
	40MPHAQ12XA3		•		
	40MPHAQ18XA3			•	
	40MPHAQ24XA3				•

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS



Turn to the experts

COMPATIBILITY CHARTS

**DUCTLESS
SYSTEMS**

Compatibility Single Zone – Performance® Series

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT										
		38MAQB09---1	38MAQB12---1	38MAQB09---3	38MAQB12---3	38MAQB18---3	38MAQB24---3	38MAQB30---3		38MBQB36---3	38MBQB48---3	
		38MAQB09R--1	38MAQB12R--1	38MAQB09R--3	38MAQB12R--3	38MAQB18R--3	38MAQB24R--3	38MAQB30R--3	38MAQB36R--3	38MBRQ36A--3	38MBRQ48A--3	38MBRQ58A--3
		38MARBQ12XA1	38MARBQ09XA3	38MARBQ12XA3	38MARBQ18XA3	38MARBQ24XA3	38MARBQ30XA3	38MARBQ36XA3	38MBRBQ36AA3	38MBRBQ48AA3		
High Wall	40MAQB09B--1		•									
	40MAQB12B--1	40MAHBQ12XA1		•								
	40MAQB09B--3	40MAHBQ09XA3			•							
	40MAQB12B--3	40MAHBQ12XA3				•						
	40MAQB18B--3	40MAHBQ18XA3					•					
	40MAQB24B--3	40MAHBQ24XA3						•				
	40MAQB30B--3	40MAHBQ30XA3							•			
40MAQB36B--3	40MAHBQ36XA3								•			
Cassette	40MBQB09C--3	40MBCQ09---3		•								
	40MBQB12C--3	40MBCQ12---3			•							
	40MBQB18C--3	40MBCQ18---3				•						
		40MBCQ24---3					•					
		40MBCQ36---3							•			
	40MBCQ48---3								•			
Ducted	40MBQB09D--3	40MBDQ09---3		•								
	40MBQB12D--3	40MBDQ12---3			•							
	40MBQB18D--3	40MBDQ18---3				•						
	40MBQB24D--3	40MBDQ24---3					•					
	40MBQB36D--3	40MBDQ36---3							•			
	40MBQB48D--3	40MBDQ48---3								•		
	40MBDQ58---3									•		
Console	40MBQB09F--3	40MBFQ09---3		•								
	40MBQB12F--3	40MBFQ12---3			•							
		40MBFQ18---3				•						
		40MBFQ24---3					•					
		40MBFQ36---3							•			
		40MBFQ48---3								•		
	40MBFQ58---3									•		
Air Handler	40MBAAQ24XA3						•					
	40MBAAQ36XA3								• Only 38MBRB			
	40MBAAQ48XA3									• Only 38MBRB		

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS

Compatibility Single Zone Hybrid Solutions – Performance® Series

INDOOR UNIT			HEAT PUMP OUTDOOR UNIT								
Type	Fan Coil/Cased Coil	Furnace	38MAQB09R--3	38MAQB12R--3	38MAQB18R--3	38MAQB24R--3	38MAQB30R--3	38MAQB36R--3	38MBRQ36A--3	38MBRQ48A--3	38MBRQ58A--3
Vertical Fan Coil	FFMANP019T00			•	•						
	FFMANP025T00					•					
	FFMANP031T00					•					
	FFMANP037T00							•			
	FPMBN*018T00			•	•						
	FPMBN*024T00					•					
Ceiling Fan Coil	FPMBN*030T00					•					
	FMA4X1800AL		• ‡	• ‡							
	FMA4X2400AL				• ‡						
	FMA4X3000AL					• ‡					
	FMA4X3600AL						• ‡				
	FM(C,U)4Z1800AL		• ‡	• ‡							
Ceiling Fan Coil	FM(C,U)4Z2400AL				• ‡						
	FM(C,U)4Z3000AL					• ‡					
	FM(C,U)4Z3600AL						• ‡				
	FV4CNF002L		• ‡	• ‡	• ‡						
	FV4CN(B,F)003L					• ‡	• ‡				
	FX4DNF019L		• ‡	• ‡							
Indoor Fan Coil	FX4DNF025L				• ‡						
	FX4DNF031L					• ‡					
	FX4DN(B,F)037L						• ‡				
	FB4CNF018L		• ‡	• ‡				• ‡			
	FB4CNF024L				• ‡						
	FB4CNF030L					• ‡					
80% AFUE Furnace †		58S(B,C)*A045E14**12	• ‡ A, B	• ‡ A, B	• ‡ B, C	• ‡ C					
		58S(B,C)*A045E17**12	• ‡ E	• ‡ E	• ‡ F	• ‡ F					
		58S(B,C)*A070E14**12	• ‡ B	• ‡ B	• ‡ C	• ‡ C					
		58S(B,C)*A070E17**12					• ‡ D				
		58S(B,C)*A070E17**16					• ‡ F				
		58SU*A040E17**12	• ‡ E	• ‡ E	• ‡ E	• ‡ F					
		58SU*A060E17**16					• ‡ D				
		58TP*A045V14**12	• ‡ A	• ‡ A	• ‡ B	• ‡ C					
		58TP*A070V17**16					• ‡ D				
		59SU5A040E17**12	• ‡ E	• ‡ E	• ‡ E	• ‡ F					
		59SC2D040E14**10	• ‡ A, B	• ‡ A, B	• ‡ B, C	• ‡ C					
	90% AFUE Furnace †		59SC2D060E14**12	• ‡ B	• ‡ B	• ‡ C	• ‡ C				
		59SC2D060E17**14	• ‡ G	• ‡ G	• ‡ F	• ‡ F	• ‡ D				
		59SC2D080E17**16	• ‡ E	• ‡ E	• ‡ F	• ‡ F	• ‡ D				
		59SC5B028E14**10	• ‡ A	• ‡ A							
		59SC5B040E14**10	• ‡ B	• ‡ B	• ‡ B, C	• ‡ C					
		59SC5B040E17**12	• ‡ E	• ‡ E	• ‡ F						
		59SC5B060E14**12	• ‡ B	• ‡ B	• ‡ C	• ‡ H					
		59SC5B060E17**14	• ‡ E	• ‡ E	• ‡ F	• ‡ F					
		59SC5B080E17**16				• ‡ I					
		59TP6B040V14**10	• ‡ A, B	• ‡ A, B	• ‡ B, C	• ‡ C					
		59TP6B040V17**12	• ‡ E	• ‡ E	• ‡ F	• ‡ F					
		59TP6B060V14**12	• ‡ B	• ‡ B	• ‡ C	• ‡ C					
	59TP6B060V17**14	• ‡ E	• ‡ E	• ‡ F	• ‡ F						
	59TP6B080V17**16	• ‡ E	• ‡ E	• ‡ F	• ‡ F						

Notes:
 † Furnaces are available in 115V. ODU is only available in 230V. Consult the Installation instructions manual.
 ‡ Requires 24V interface KSAIC0301230. TXV on the indoor unit or cased coil shall be removed. 24V Transformer on the 24V interface shall be removed. Consult the Installation instructions manual.
 Letter indicates compatible cased coil for selected combinations.

Key	Multi-poise A Coil	Vertical N Coil
A	CAP**2414AL*	CNPV*1814AL*
B	CAP**2414AL*	CNPV*2414AL*
C	CAP**3014AL*	CNPV*3014AL*
D	CAP**3617AL*	CNPV*3617AL*
E	CAP**2417AL*	CNPV*2417AL*
F	CAP**3017AL*	CNPV*3017AL*
G		CNPV*2417AL*
H	CAP**3014AL*	
I		CNPV*3017AL*

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS



Turn to the experts

COMPATIBILITY CHARTS

DUCTLESS
SYSTEMS

Compatibility Single Zone – Comfort® Series

INDOOR UNIT		COOLING ONLY OUTDOOR UNIT					
		38MHRC09A--1	38MHRC12A--1	38MHRC09A--3	38MHRC12A--3	38MHRC18A--3	38MHRC24A--3
			38MHRBC12AA1		38MHRBC12AA3	38MHRBC18AA3	38MHRBC24AA3
High Wall	40MHHC09---1	•					
	40MHHC12---1		•				
	40MHHC09---3			•			
	40MHHC12---3				•		
	40MHHC18---3					•	
	40MHHC24---3						•

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT					
		38MHRQ09A--1	38MHRQ12A--1	38MHRQ09A--3	38MHRQ12A--3	38MHRQ18A--3	38MHRQ24A--3
			38MHRBQ12AA1	38MHRBQ09AA3	38MHRBQ12AA3	38MHRBQ18AA3	38MHRBQ24AA3
			38MHRCQ12AA1	38MHRCQ09AA3	38MHRCQ12AA3	38MHRCQ18AA3	38MHRCQ24AA3
High Wall	40MHHQ09---1	•					
	40MHHQ12---1		•				
	40MHHQ09---3			•			
	40MHHQ12---3				•		
	40MHHQ18---3					•	
	40MHHQ24---3						•

INDOOR UNIT		COOLING ONLY OUTDOOR UNIT				
		38MFC009---1	38MFC012---1	38MFC012---3	38MFC018---3	38MFC022---3
High Wall	40MFC009---1	•				
	40MFC012---1		•			
	40MFC012---3			•		
	40MFC018---3				•	
	40MFC022---3					•

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT				
		38MFQ009---1	38MFQ012---1	38MFQ012---3	38MFQ017---3	38MFQ022---3
High Wall	40MFQ009---1	•				
	40MFQ012---1		•			
	40MFQ012---3			•		
	40MFQ017---3				•	
	40MFQ022---3					•

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS



Turn to the experts

COMPATIBILITY CHARTS

DUCTLESS
SYSTEMS

Compatibility Multi-zone – Performance® Series

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT					
		38MGQC18---3	38MGQD27---3		38MGQF36---3	38MGQF48---3	
		38MGRQ18B--3	38MGRQ24C--3	38MGRQ30D--3	38MGRQ36D--3	38MGRQ48E--3	
High Wall Infinity	40MPHAQ09XA3		•	•	•	•	•
	40MPHAQ12XA3		•	•	•	•	•
	40MPHAQ18XA3						
	40MPHAQ24XA3						
High Wall Performance	40MAQB09B--3	40MAHBQ09XA3	•	•	•	•	•
	40MAQB12B--3	40MAHBQ12XA3	•	•	•	•	•
	40MAQB18B--3	40MAHBQ18XA3		•	•	•	•
	40MAQB24B--3	40MAHBQ24XA3			•	•	•
High Wall Comfort	40MHHQ09---3		•	•	•	•	•
	40MHHQ12---3		•	•	•	•	•
	40MHHQ18---3			•	•	•	•
	40MHHQ24---3				•	•	•
Cassette	40MBQB09C--3	40MBCQ09---3	•	•	•	•	•
	40MBQB12C--3	40MBCQ12---3	•	•	•	•	•
	40MBQB18C--3	40MBCQ18---3		•	•	•	•
		40MBCQ24---3			•	•	•
Ducted	40MBQB09D--3	40MBDQ09---3	•	•	•	•	•
	40MBQB12D--3	40MBDQ12---3	•	•	•	•	•
	40MBQB18D--3	40MBDQ18---3		•	•	•	•
	40MBQB24D--3	40MBDQ24---3			•	•	•
Console	40MBQB09F--3	40MBFQ09---3	•	•	•	•	•
	40MBQB12F--3	40MBFQ12---3	•	•	•	•	•
		40MBFQ18---3		•	•	•	•
		40MBFQ24---3			•	•	•
Air Handler	40MBAAQ24XA3			•	•	•	

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS



Turn to the experts

COMPATIBILITY CHARTS

DUCTLESS SYSTEMS

Compatibility Controls

	Indoor unit type		HIGH WALL				CASSETTE		DUCTED		CONSOLE		AIR HANDLER
	Indoor Family Name	Single Zone / Multi-zone	40MPHA	40MAQ	40MAHB	40MHH	40MBQB*C	40MBCQ	40MBQB*D	40MBDQ	40MBQB*F	40MBFQ	40MBAA
WIRED CONTROLLERS	KSACN0101AAA	Single Zone & Multi-zone		○	○		○	○ 9 - 18	●	○	○	○	
	KSACN0401AAA	Single Zone & Multi-zone	○	○ †		○						○ 9 - 12 ‡	
	KSACN0501AAA	Single Zone & Multi-zone					○	○	○	●		○ 18-58	
	KSACN0601AAA	Single Zone & Multi-zone	○	○ †		○						○ 9 - 12 ‡	
	KSACN0701AAA	Single Zone & Multi-zone					○	○	○	●**		○ 18-58	
	KSACN0801AAA	Single Zone & Multi-zone			○								
24V INTERFACE*	KSAIC0101115	Single Zone Only		○ 115V		○ 115V							
	KSAIC0101230	Single Zone Only	○	○ 230V		○ 230V	1	○	1	○ 09-58	1	○ 12-58 †	
	KSAIC0201230	Single Zone Only											
	KSAIC0301230	Single Zone & Multi-zone	○	○ 230V	○ 230V	○ 230V	1	○	1	○ 09-58	1	○ 12-58 †	BUILT-IN
WI-FI KITS	KSAIF0101AAA	Single Zone & Multi-zone				○ 9/12/24k							
	KSAIF0201AAA	Single Zone & Multi-zone				○ 18k							
	KSAIF0301AAA	Single Zone & Multi-zone		○									
	KSAIF0401AAA	Single Zone & Multi-zone					○	○	○	○	○ 18-58	○ 18-58	
	KSAIF0601AAA	Single Zone & Multi-zone	●		○								

○	Optional
●	Standard

Notes:

† 7 Day programmable compatible with indoor units starting with Serial Number 0216V10001.

‡ Compatible with indoor units starting with Serial Number 0117V10001.

** Starting with Serial Number 2820V10001 (Week 28, Year 2020) the KSACN0701AAA became the standard controller but is backwards compatible with previous production units

*24V interface compatible with all indoor units starting with Serial Number 4216V10001 unless noted

† 24V Interface compatible with all the sizes except sizes 12 and 58. Starting with Serial Number 1419V10001 the sizes 12 and 58 are shipped with the compatible control board.

Units built prior these serial number would require a Control Board Replacement on the Indoor unit.

1 Require a Control Board Replacement on the Indoor unit for compatibility, consult EPIC for the latest product revision

Board replacement for forward compatibility is not covered as a warranty claim

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS